

Note: Page numbers followed by “b”, “f” and “t” refer to boxes, figures and tables, respectively.

A

- A/O (anaerobic/oxic) process, 590–591, 591f
 Aberration, in microscope, 178
 Abiotic stresses
 light, 74–75
 redox potential, 75–76, 76t
 soil moisture, 75
 soil nutrients, 75
 soil pH, 75
 soil temperature, 75
 soil texture, 75
 Absorbance spectrum of benzoate, 214, 215f
 Abyssopelagic zones, of aquatic systems, 114
Acanthamoeba infections, 667
 Acetosyringone, 467–468
 Acid mine drainage (AMD) system, 148–149, 430
 formation of, 430b
 metagenomic analysis, 149
 metagenomics-based characterization of
 dominant microorganisms in, 486b
 relative microbial abundances in, 149f
Acidilobus sulfurireducens, 142–143
Acidithiobacillus ferrooxidans, 434
Acidobacteria, 130–131
Acidothiobacillus denitrificans, 367
Acidothiobacillus ferrooxidans, 370
Acidothiobacillus thiooxidans, 366
Acinetobacter, 519
 Acridine orange direct counts (AODC), 162t, 184, 184f, 225–226
Actinobacteria, 80, 130–131
 Actinomycetes, 9, 11
 characteristic of, 76t, 81b
 functions of, 81b
 in soils, 78
 Actinorhizal plants, 453–455
 Activated sludge, 589–590
 “Adaptation” process, 450
 Adaptive immune system, 245
 Adenosine 5′-phosphosulfate (APS), 364
 Adenosine diphosphate (ADP), 234–235
 Adenosine monophosphate (AMP), 234–235
 Adenosine triphosphate (ATP), 234–235
 Adenoviruses, 6t, 534–536
 Adenylate energy charge, 234–235
 Adenylate energy charge (AEC) ratio, 235
 Adsorption, 327
 Adsorption affinity, of cation, 66
 Advection, 327
 Advection–dispersion model, 334–335
 Advective transport, 321–322
 Aerated lagoons or ponds, 594–595
 Aeration-tank digestion, 589
 Aerobic anoxygenic phototrophy (AAnP), 124
 Aerobic conditions
 alkanes, 390–393
 halogenated aliphatics, 395–396
 unsubstituted aromatics, 399–401
 Aerobic microbial digestion, 601–602
 Aerobic ponds, 594
 Aerobic respiration process, 51
 Aerodynamic diameter, 89–90
 Aeromicrobiological (AMB) pathway
 deposition, 93–95
 downward molecular diffusion, 93
 electrostatic deposition, 94–95
 gravitational settling, 93
 rain deposition, 94
 surface impactation, 94
 launching, 91–92
 transport, 92–93
 Aeromicrobiology, 89
 aerosols, 89–90
 air, microbial survival in, 95–96
 AMB pathway, 91–95
 bioaerosols
 control, 104–105
 nature of, 90–91
 biosafety, in laboratory, 105–109
 extramural, 96–102
 intramural, 102–104
Aeromonas, 560
Aeromonas hydrophila, 519
 Aerosolization of indigenous soil pathogens, 96–102
 Aerosols, 89–90
 A-factor, 469
 Affinity, 248
 biosensors, 263
 chromatography, 257–258
 Afla-Guard[®], 452b
Agaricus bisporus, 32
 Agarose gel electrophoresis, 277b
 Agency for Toxic Substances Disease Registry (ATSDR), 393b
 Aggregation, importance of, 64b
 AGI-30 impinger, 170, 172f
 Agricultural irrigation, 625
 Agriculture, airborne microbial pathogens on, 98–99
Agrobacterium, 78t
Agrobacterium spp., 453
Agrobacterium tumefaciens, quorum sensing
 in, 467–468, 470f
 Air
 microbial survival in
 oxygen, OAF and ions, 96
 radiation, 95–96
 relative humidity, 95
 temperature, 95
 sampling devices for collection of samples, 170–173
 Air rotary drilling, 159, 159f
 Air sparging, 408
 Airborne animal pathogens, examples of, 100b
 Airborne lipopolysaccharide (LPS), 173
 Airborne pathogens, 665–666
 Airborne plant pathogens, examples of, 99b
 Airborne toxins, 101–102
 Air-water interface, 114
 Algae, 26–27, 631
 cell structure, 26–27
 cultural methods for, 207–208
 environmental aspects, 27
 in soils, 80–81
 Algal blooms, 128–129
 Alicyclics, 397–398
 aerobic conditions, 398
 anaerobic conditions, 398
 Aliphatics, 390–397
 alkanes, 390–394
 aerobic conditions, 390–393
 anaerobic conditions, 394
 halogenated aliphatics, 394–397
 aerobic conditions, 395–396
 anaerobic conditions, 396–397
 Alkanes, 390–394
 aerobic conditions, 390–393
 anaerobic conditions, 394
 Alkenes, 393
 Allelopathic substances, 74
Allescheriella, 23–24
 Alpha diversity, 497
 Alphaproteobacteria, 129
 Ambiguous base calls, 495
 Ammonia, 117
 assimilation, 356–357
 Ammonia oxidizing archaeans, 122
 Ammonification, 354–355, 357–358
 Ammonium assimilation, 354–355
 Ammonium mineralization.
 See Ammonification

- Ammonium oxidation, 358–360
 anammox, 359–360, 360*b*
 nitrification, 358–359, 359*b*
- AmoA* gene, 150–151
- Amoebae, 82
- Amplification-based assays, 280–290
 challenges for PCR-based amplification
 methods, 290
 detection of live vs. dead microorganisms,
 288–289
 multiple displacement amplification
 (MDA), 290
 PCR assays, 283–284
 PCR target sequences, 284–287
 polymerase chain reaction (PCR), 280
 RNA amplification using PCR, 287–288
 steps of PCR, 281–283
- Amplified fragment length polymorphism
 (AFLP) analysis, 292
- Amylopectin, 346–347
- Amylose, 346–347
- Anabaena*, 127–128
- Anaerobic conditions
 alkanes, 394
 halogenated aliphatics, 396–397
 unsubstituted aromatics, 401
- Anaerobic methane oxidation, 116–117
- Anaerobic microbial digestion, 602
- Anaerobic ponds, 594
- Anaerobic respiration
 as an indicator of microbial activity, 233
 process, 52
- Anammox, 117, 359–360, 360*b*
- Ancylostoma duodenale*, 530–531
- Anderson six-stage impaction
 sampler, 170, 172*f*
- Animal feeding operations (AFOs), 607,
 609–611
- Anionic metals, 420
- Anisotropic light, 181–182
- Anisotropy, 181–182
- Anthrax, 97*b*
- Anthropocene, 677
- Antibiotic-resistant bacteria (ARBs), 612–614,
 613*t*, 683–687
 anthropogenic activities that enhance
 incidence of, 685–687
 development of, 683–685
- Antibiotics
 mode of action, 686*b*
- Antibody, 246–251
 affinity, 248
 antiglobulins, 250–251
 diversity, 247
 monoclonal antibody, 248–250
 polyclonal antibody, 248–250
 specificity, 247
- Antibody-mediated response, 245
- Antigen, 245
- Antigen capture, 253
- Antigen–antibody binding, 247
- Antigenic properties, 12–13
- Antiglobulins, 246–247, 250–251
- Aphotic environments
 acid mine drainage system, 148–149
 based on chemolithoautotrophy, 146–151
 deep-sea hydrothermal vents, 146–148
 desert carbonate cave, 149–151
- Aphotic zone, of aquatic systems, 113
- API strips, 202
- Apicomplexa, 25
- Appendages, 16–17
- Aptamer sensors technique, 8*b*
- Aquatic environments, 225
 brackish waters, 133–134
 distribution of water on Earth, 112*t*
 freshwater
 lakes, 132–133
 springs, streams and rivers, 131–132
 hypersaline waters, 134, 135*f*
 marine
 benthic communities, 130–131
 planktonic communities, 126–130
 microbial habitats
 benthic microbes, 115–117
 biofilms and microbial mats interface,
 117–120
 physical and chemical characteristics,
 111–114
 planktonic microbes, 114–115
 microbial lifestyles
 primary production, 121–122
 secondary production, 122–124
 subterranean waters, 134
 wetlands, 134–135
- Aquifer recharge and recovery (ARR), 626
- Aquifer storage and recovery (ASR), 626
- Aquifers, 61–62
 types, 61–62
- Arbitrarily primed PCR (AP-PCR), 291
- Archaea, 9–10, 19–20
 function, 20
 habitats, 20
 in soils, 78
 structural comparison of bacteria and, 19*t*
 thermophilic, 20*b*
- Arithmetic averages, 562
- Aromatics, 399–402
 substituted, 401–402
 unsubstituted, 399–401
 aerobic conditions, 399–401
 anaerobic conditions, 401
- Arsenic
 in drinking water, 419*b*
 methylation, 433*b*
 oxidation, 429
 poisonings, 431
 resistance, 425*f*
 in rice, 422*b*
- Arthrobacter*, 77*t*
- Ascaris lumbricoides*, 528–530
- Asian flu, 97*t*
- Asiatic (Russian) flu, 97*t*
- Aspergillus*, 22, 79–80
- Aspergillus flavus*, 7, 452
- Aspergillus* spp., 262
- Assemblage, 442
- Assimilable organic carbon (AOC), 638, 638*b*
- Assimilatory iron reduction, 371
- Assimilatory nitrate reduction, 354–355, 360
- Assimilatory sulfate reduction, 364
- Astroviruses, 534, 535*t*
- The Atacama Desert, Chile, 143–146, 144*f*
- Atomic force microscopy (AFM), 191, 192*f*
- ATP-citrate lyase, 150–151
- Aureobasidium pullulans*, 23–24
- Autochthonous, 70
- Autoinducers, 462
- Autotroph, 18
- Azospirillum*, 453–455
- Azotobacter*, 453–455
- ## B
- B cells, 247
- Bacilli, 130–131
- Bacillus*, 11, 17, 77*t*, 78*t*, 646–647
- Bacillus anthracis*, 96, 457
- Bacillus arsenicoselenatis*, growth of, 429
- Bacillus subtilis*, 38*f*, 143
- Bacteria, 10–11, 461–462, 511–521,
 629–631
 blue–green algae, 520–521
Campylobacter, 514–515
 characteristics of, 76*t*
 community DNA analysis, 161–164
 comparison of fractionation and in situ lysis
 methodologies, 162*b*
 culture-based analysis, 161
 culture media for, 202–207
Escherichia coli and *Shigella*, 512–514
 and fungi, signaling between, 476–477
Helicobacter, 516–517
 and human cells, signaling between,
 477–478
Legionella, 517–518
 metabolic classification of, 18*t*
 opportunistic bacterial pathogens, 518–520
 and plants, signaling between, 477
Salmonella, 511–512
 sizes of, 66*f*
 in soils, 77–78
 structural comparison of archaeans and, 19*t*
 total and viable cell counts in sediment
 samples, 162*t*
Vibrio, 515–516
 in water, 165, 169
Yersinia, 515
- Bacterial appendages, 16–17
- Bacterial artificial chromosomes (BACs),
 295–296
- Bacterial cell envelope, 11–14
- Bacterial cytoplasm, 14–15
- Bacterial endospores, 17
- Bacterial glycocalyx, 15–16
- Bacterial growth
 biological generation of energy, 53*b*
 in environment
 exponential phase, 48
 lag phase, 47–48
 stationary and death phases, 48–49
 mass balance of growth, 50–52
 aerobic conditions, 51–52
 anaerobic conditions, 52
 in pure culture in flask
 death phase, 41–42

- effect of substrate concentration on
 growth, 43–44
 exponential phase, 39–41
 lag phase, 38–39
 stationary phase, 41
- Bacterial metabolism, 18–19
- Bacterial muropeptides, 473–474
- Bacterial pheromones, 462
- Bacterial surfactants, 434
- Bacteriophage, 27, 559–560
 assay, 559*f*
- Bacterioplankton, 114
- Bacteriostat, 645
- Bacterivorous protozoa, 26
- Bacteroides*, 314–315, 557–558
- Bacteroides fragilis*, 560
- Bacteroidetes, 80
- Bacteroids, 453–455
- Balamuthia mandrillaris*, 26
- Balanced growth, 233–234
- Bardenpho process, 591–592, 591*f*
- Bastin, Edward, 85–86
- Bathypelagic zones, of aquatic systems, 114
- Benthic microbes, 115–117
- Benthos, 114
- Benzalkonium chloride, structure of, 659*f*
- Best management practices (BMPs), 678–679
- Beta diversity, 498
- β -oxidation, 390
- Beta–Poisson distribution, 575
- Bifidobacterium*, 557–558
- Bioaerosols
 control
 biocidal control, 105
 filtration, 105
 isolation, 105
 ventilation, 104–105
 nature of, 90–91
- Bioaugmentation, 409
- Bioavailability, 384*b*, 385–386
- Bioavailable metal, 415, 419
- Biochemical (phenotypic) methods, 310*r*
- Biochemical oxygen demand (BOD), 583–584
- Biocidal control, 105
- Biodegradable dissolved organic carbon (BDOC), 639
- Biodegradation
 environmental factors affecting, 387–390
 nitrogen, 388–389
 organic matter content, 388
 pH, 389
 redox conditions, 387–388
 salinity, 389
 temperature, 389
 water activity, 389–390
 overall process of, 380–383
 in surface and subsurface environments, 389*b*
- Biofilms, 117–118, 637
 acid mine drainage, 122*f*, 123
 communities, 453
 development of, 117
 removing cyanide from gold mine effluent, 119*b*
 representation of formation, 118*f*
- Biofiltration, 408
- Biogeochemical cycling, 339
 carbon cycle. *See* Carbon cycle
 Gaia hypothesis, 340–342
 iron cycle. *See* Iron cycle
 nitrogen cycle. *See* Nitrogen cycle
 sulfur cycle. *See* Sulfur cycle
- Biohazard control, four levels of, 108
- Bioinformatics, 483–484
 and analysis of genomic/metagenomic data, 499–501
 assembly-based approaches, 499–500
 databases, 501
 integration of 'omics data, 501–502
 mapping to reference genomes, 500–501
 diversity analyses, 497–499
 marker genes, 492
 operational taxonomic unit (OTU) concept, 496–497
 phylogenetic analyses, 499
 quality criteria, 495
 removal of chimeras, 495–496
 sequence analysis, platforms for, 492–495
 16S rRNA, 492
- Biolog, 202
- Biological agent classification, 109
- Biological dinitrogen fixation, 453–455
 “Biological factors,” 457
- Biological oxygen demand (BOD), 217–218, 228
- Biological safety cabinets (BSC), 106–108
- Bioluminescence, 464
- Biomass
 equations for calculating, 186*t*
 estimation of, 185
- Biometallurgy, 366–367
- Biometer flask, 220, 220*f*
- Bioreactor, 44–45, 407–408
- Bioreceptor, 263
- Bioremediation, 3–4, 404–411
 addition of microorganisms or DNA, 409–411
 addition of oxygen or other gases, 407–408
 addition of surfactants, 409
 nutrient addition, 408
 sequential anaerobic–aerobic degradation, 408–409
- Biosafety, in laboratory, 105–109
- Biosafety suit, 108*f*
- Biosolids
 and animal wastes, land application of, 608–612
 Class A versus Class B biosolids, 609
 defined, 608*b*
 land application of, 610–612
 microbial issues associated with, 613*t*
- Biostimulation, 404–405
- Biosurfactant, 330, 385, 425
- Biotic stresses, 74
- Biotin–avidin dye, 185
- Bioventing, 408
- Biphenyl, 403
- BIVR-MRSA (β -lactam-induced vancomycin-resistant-MRSA), 473–474
- Black smoker vent, 148*f*
- BLAST (Basic Local Alignment Search Tool), 300
- Blind passages, of cell culture, 210
- Blue green monkey (BGM) cell line, 209–210
- Blue–green algae, 520–521
- Botrydiopsis*, 81
- Bovine spongiform encephalopathy (BSE), 33
- BOX sequences, 291–292
- BP Deepwater Horizon oil spill, 409*b*, 683, 684*b*
- Brackish waters, 133–134
- Brackish wetlands, 134
- Bray–Curtis dissimilarity, 498
- Bright-field microscopy, 179–181
- Brilliant green bile agar, 204–205
- Broken-edge bonds, 66
- Bromine, 652
- Brown algae (Phaeophyta), 26
- Brucella* sp., 103–104
- Buried slide technique, for microorganisms, 184
- Burkholderia caryophylli*, 49
- Burkholderia cepacia*, 49
- ## C
- Cadmium, 426*f*
- Caldisphaera draconis*, 142–143
- Cambi thermal hydrolysis process, 604–605, 604*f*
- Campylobacter*, 514–515, 666, 686
- Campylobacter jejuni* infections, 514–515
- Campylobacter* spp., 646*t*
- Candida*, 22–23
- Candida albicans*, 21*t*
- Capillary fringe, 61
- Capsid, 27
- Capsule. *See* Glycocalyx
- Carbohydrate-based polymers, 345–347
- Carbon cycle, 341*f*, 342–352, 344*f*
 carbon fixation and energy flow, 343
 carbon reservoirs, 342–343
 carbon respiration, 343–352
 carbon monoxide and other C₁ compounds, 352
 humus, 347–350
 methane, 350–351
 organic polymers, 344–347
- Carbon dioxide evolution, 219–220
 CO₂ trapping, 219–220
¹⁴CO₂ trapping, 220
- Carbon monoxide and other C₁ compounds, 352
- Carbon respiration, 221–233
 anaerobic respiration as indicator of microbial activity, 233
 application of respiration measurements in environmental microbiology, 225–230
 basal rate of microbial activity in soil samples, 225–226
 biological oxygen demand (BOD), 228
 microbial biomass determination, 227–228
 micro-level measurements of microbial activity, 228–230
 substrate-induced microbial activity, 226–227

- Carbon respiration (*Continued*)
 CO₂ and O₂ measurement in laboratory and field studies, 221–225
 aquatic environments, 225
 terrestrial environments, 221–225
 tracer studies to determine heterotrophic potential, 230–232
- Carbon/nitrogen (C/N) ratio, 358
- Carbonate cave, desert, 149–151
- Carboxydotherrmus hydrogenoformans*, 484
- Carboxyl moieties, 66
- Carrying capacity, 383
- Catalytic biosensors, 263
- Cation-exchange capacity (CEC), 65–69, 358, 420
 on clay particles, 68*f*
 in soil, 68*b*
- Cationic metals, 420
- Cations, in acid and alkaline soils, 72*t*
- Cell culture-based detection methods for viruses, 208–211
- Cell envelope, bacterial, 11–14
- Cell mass, 219
 protein, 219
 turbidity, 219
- Cell membrane, 11*b*
- Cell shape, 320
- Cell wall, 11*b*, 12–13
- Cell yield, 50
- Cell–cell signaling interactions, 462*f*
- Cell-mediated response, 245
- Cells extraction techniques
 from soil, 195–196
 from water samples, 196
- Cellular appendages, 327
- Cellulose, 345–346
- Centrifugation, sampling of air, 170, 173, 173*f*
- Cephalosporin acremonium*, 21–22
- Cestodes (*Taenia saginata*), 531
- Cetylpyridinium chloride, structure of, 659*f*
- Chaetocerus*, 32
- Chao I index, 498
- Chaperonins, 143
- Chemets kit, oxygen measurement using, 218*f*
- Chemical oxygen demand (COD), 585
- Chemoautotrophic substrates, 217
 nitrification, 217
 sulfur oxidation, 217
- Chemoautotrophic sulfur oxidation, 366–367
- Chemoautotrophs, 18, 369–370
- Chemoautotrophy
 in eastern North Atlantic, 123*f*
 from hydrothermal vents, 147
 photoautotrophy vs., 121–122
- Chemocline, in lake freshwater environment, 140–141, 141*b*
- Chemoheterotrophs, 18
- Chemolithoautotrophy
 aphotic environments based on, 146–151
 evidence for, 150
- Chemostat cultures, 44–45
- Chemotaxis, 327
 positive and negative, 16–17
- Chemotroph, 18
- Chick–Watson model, 647
- Chimera, 495–496
- ChipSIP analysis, 240
- Chitin, 26–27, 346–347
- Chlamydomonas*, 81
- Chloramines, 651–652
- Chloramphenicol, 686*b*
- Chlorinated aromatics, 401–402
- Chlorinated phenols, 402
- Chlorination, 633–634
- Chlorine, 649–651
- Chlorine dioxide, 652
- Chlorine inactivation of microorganisms in water, 649*t*
- Chlorobium*, 132
- Chloroflexi*, 130–131
- Chloroform fumigation–incubation method, 227
- Chlorophyll *a*, 26–27, 123, 124*f*
- Chromatography, 214–216
- Chromosome, 11*b*, 14–15
 size and environmental niche, 14*b*
- Chronic wasting disease (CWD), 33
- Chroococciopsis, 144
- Ciguatera, 27
- Ciliates, 82
- Ciliophora*, 25
- ¹⁴C-labeled substrate, 230–231
- Class A biosolids
 versus Class B biosolids, 609
- Class B biosolids, 609
 potential microbial hazards associated with, 612–616
 antibiotic-resistant bacteria, 612–614
 endotoxin, 614–615
 prions, 615–616
 regrowth and reactivation of pathogens within, 616–617
- Clay loam, 164*t*
- Clean Air Act (CAA), 378*b*, 379
- Clean Water Act (CWA), 378*b*, 379
- Cloning, 294–295
- Clostridia, 130–131
- Clostridium*, 11, 78*t*, 646–647
- Clostridium botulinum*, 5*t*, 101
- Clostridium perfringens*, 557, 666
- Clostridium* spp., 17
- Cloud environment, microbiology in, 98
- CO₂ and O₂ measurement in laboratory and field studies, 221–225
 aquatic environments, 225
 terrestrial environments, 221–225
 field studies, 224–225
 microcosm studies, 221–224
- Coagulation, 634
- Coccidioides immitis*, 79–80, 97, 457
- Coccolithophores, 128
- Coliform bacteria, 204, 551
 in households, 670, 670*f*
- Coliform growth response (CGR) test, 638
- Colloidal interference, 185
- Colony hybridization, 276
- Colony-forming units (CFU), 196
- Colorado River, 378*b*
- Cometabolism, 381–382, 450–451
- Commensalisms, 450–451
- Communication signals, 462
- Community DNA, 273
 analysis, for bacteria, 161–164
- Community risk of infection, from bioaerosols, 102
- Community RNA, 273
- Comparative genomics, 484–485
- Comparative risk assessment, 566
- Competency, 17–18
- Competitive ELISA, 254–255
 advantages and disadvantages, 255
 application, 254–255
 technique, 254
- Competitive format, 261
- Composting systems, 603–604
- Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), 378*b*, 379
- Concentrated animal feeding operations (CAFOs), 607, 609, 614
- Conductivity meters, 214–216
- Confocal laser scanning microscopy (CLSM), 187
- Conjugation, 16–17
- Conjugative plasmids, 15, 17
- Consortium, 401, 450–451
- Contaminant aging, 320
- Contaminant structure, 384*b*, 387
 electronic effects, 387
 steric effects, 387
- Contigs, 499
- Continuous cell culture, 208
- Continuous culture, 44–46
- Contrast, 179
- Copiotrophic and oligotrophic style of life in environment, 47
- Correlation and network-based approaches, 502
- Corynebacterium*, 203
- Coxsackieviruses, 537, 537*f*, 573
- Crenarchaeota, 20
- Crocospaera*, 127–128
- Cross-communication. *See* Interspecies cross-signaling
- Cross-feeding. *See* Syntrophism
- Cross-reactivity, 247
- Cross-talk. *See* Interspecies cross-signaling
- Crown gall disease, 468*f*
- Cryo-TEM, 190, 191*f*
- Cryptobiotic crusts, 64*b*
- Cryptococcus neoformans*, 21*t*
- Cryptosporidium*, 3, 6*t*, 25*f*, 26, 188, 523–526, 651, 653, 655*f*
- Cryptosporidium* oocysts, 170*f*, 653
- Cryptosporidium parvum*, 646*t*
- Cultural methods
 for algae and cyanobacteria, 207–208
 cell culture-based detection methods for viruses, 208–211
 cells extraction techniques
 from soil, 195–196
 from water samples, 196
 for fungi, 207
 general media used for culturing bacteria
 2,4-D degrading bacteria in soil, isolation and enumeration of, 206–207

- culturing specific microbial populations, 203–204
- fecal coliforms and membrane filtration technique, 204
- fluorescent pseudomonads from soil, isolation of, 205
- heterotrophic plate counts, 202–203
- nitrifying organisms from soil, isolation of, 205–206
- Salmonella* and MPN technique, 204–205
- plating methods
 - most probable number (MPN) technique, 201–202
 - unculturable bacteria, 196–201
- Culture
 - based analysis, for bacteria, 161
 - continuous, 44–46
 - dependent methods, 310*t*
 - independent methods, 310*t*
 - metal-resistant microorganisms, 426–427
- Cuprivadus necator*, 78*t*
- Curing, 292–293
- Curvularia protuberata*, 32
- Cy5 dye, 185
- 5-Cyano-2,3-ditotyl tetrazolium chloride (CTC), 237–239, 238*f*
- Cyanobacteria, 127–128, 128*f*, 209*f*, 354
 - cultural methods for, 207–208
- Cyanophage, 31
- Cyclodextrin, 39*f*
- Cyclohexane, degradation of, 399*f*
- Cycloheximide, 203
- Cyclone, in centrifugal air sampler, 173
- Cyctospora* sp., 527
- Cytopathogenic effect (CPE) method, 167–168, 210
- Cytoplasm, 14–15
- Cytoplasmic cell membrane, structure of, 14*f*
- Cytoplasmic membrane, 11–12
- D**
- D value for *Clostridium perfringens*, 645–646
- Darcy's law, 328–329
- Dark-field microscopy, 181
- Databases, 501
- De minimis* principle, 567–568
- Dead zones, 122*f*
- Death phase
 - bacterial growth
 - in environment, 48–49
 - in pure culture in flask, 41–42
- Deep aquifers, 61–62
- Deepwater Horizon* spill, 683, 684*b*
- Deforestation, 682
- Dehalospirillum multivorans*, 253–254
- Dehydrogenase assay, 236–239
- Deltaproteobacteria, 127*f*, 129–131, 135*f*
- Denaturation, 274*b*
- Denaturing gradient gel electrophoresis (DGGE), 145–146, 293–294, 312*t*
- Denitrification, 360–363, 362*f*, 590*f*
- Denitrifying bacteria, genera of, 364*t*
- Deoxyribonucleic acid (DNA), 271–272
- Deposition sampling, of air, 170, 173
- Desert carbonate cave, 149–151
- Desiccation, and UV stress, 143–146
- Desulfotomaculum* sp., 255–256
- Desulfuromonas acetoxidans*, 367–368
- Detector reagents, 261
- 4,6-Diamidino-2-phenylindole, (DAPI), 184
- Diatoms, 26, 128
- Diazotroph, 356
- Dibenzofurans, 402–403
- Dichantheium lanuginosum*, 32
- 2,4-Dichlorophenoxyacetic acid (2,4-D), 43*f*, 47–49, 405*f*
 - degrading bacteria in soil, isolation and enumeration of, 206–207
- Dictyophora indusiata*, 23*f*
- Dienococcus radiodurans*, 96
- Differential interference contrast microscopy (DIC), 181, 182*f*
- Differential medium, 203–204
- Diffusion, 92–93, 321–322
- Digital imaging, 191–192
- Dilution and pour plating technique, 198*f*
- Dimethylsulfoniopropionate (DMSP), 365
- Dinitrogenase, 356
 - reductase, 356
- Dinoflagellates (Dinoflagellata), 26, 128
- Dioxins and PCBs, 402–403
- Dioxygenase enzyme, 390
- Direct count method, for microbial numbers, 184
- Direct extracellular electron transfer (DEET), 16–17
- Direct filtration, 633–634
- Direct labeling, 251–252
- Direct potable reuse (DPR), 627–628
- Disinfection
 - factors affecting disinfectants, 648
 - gamma and high-energy irradiation, 660
 - halogens
 - bromine and iodine, 652–653
 - chloramines, 651–652
 - chlorine, 649–651
 - chlorine dioxide, 652
 - inactivation mechanisms, 646*t*
 - kinetics of, 647–648
 - metal ions, 654–656
 - other chemical disinfectants, 659–660
 - ozone, 653–654
 - photodynamic inactivation and photocatalysts, 658–659
 - thermal destruction, 645–647
 - ultraviolet, 656–658
 - water- and food-borne pathogenic organisms, thermal death times of, 646*t*
- Dispersion, 327
- Disproportionation, 52
- Dissimilatory iron reduction, 371
- Dissimilatory nitrate reduction, 360–363
 - denitrification, 361–363, 362*f*
 - to ammonium, 360–361
- Dissimilatory nitrate reduction to ammonium (DNRA), 359–360, 361*t*
- Dissimilatory sulfate reduction, 367–368
- Dissolved air flotation (DAF), 586
- Dissolved organic matter (DOM), 114–115, 122–123
- Diversity analyses, 497–499, 498*b*
- Diversity index, 497
- DNA
 - commercial kits for extracting, 162–163
 - community analysis, for bacteria, 161–164
 - extracted with glucose and potassium nitrate, 164*t*
 - spectroscopic analysis of, 163*b*
- DNA–DNA hybridization, 443
- DNA fingerprinting, 290–294
 - of microbial communities, 293–294
 - denaturing/temperature gradient gel electrophoresis, 293–294
 - terminal-restriction fragment length polymorphism (TRFLP) analysis, 293
 - of microbial isolates, 291–293
 - amplified fragment length polymorphism (AFLP) analysis, 292
 - PCR of repetitive genomic sequences, 291–292
 - plasmid analysis, 292–293
 - pulsed-field gel electrophoresis (PFGE), 292
 - restriction fragment length polymorphism (RFLP) analysis, 291
- DNA gyrase, 143
- DNA sequences from environment, analysis of, 142
- DNA transport, factors affecting, 329–330
- DNA-SIP, 239–240
- Domestic and indoor microbiology, 665
 - fomites, 667–671
 - occurrence of pathogens on, 668–670
 - persistence of pathogens on, 670–671
 - household sources of pathogens, 665–667
 - air, 665–666
 - food, 666–667
 - water, 667
 - transfer of pathogens, 671–673
- Domestic wastewater, 583
- Dose–response assessment, 566, 569–571
- Dose–response relationships, 561*f*
- Dot blotting, 276
- Double-stranded DNA helix (dsDNA), 272
- Downward molecular diffusion, 93
- Dragon Spring, 142–143, 142*f*
- Dredging, 432
- Drinking water, 633
 - distribution systems, 636–640
 - intrusion events, 640
 - microbial community structure, 639–640
 - microbial growth, 636–637
 - organic carbon and microbial growth, 637–639
 - real-time monitoring of microbial contaminants in, 640–642
 - treatment processes, 633–635
 - requirements, 635–636
- Drug resistance, 683
- Dust mites, 665, 666*f*
- Dust-spot percentage, 105

E

- Earth environments
 liquid phase
 soil solution chemistry, 70–71
 soil water potential, 71–73
 microorganisms
 in deep subsurface environments, 85–87
 distribution of, in soil, 82–83
 in shallow subsurface environments, 84–85
 in subsurface environments, 83–87
 in surface soils, 76–82
 physicochemical characteristics
 saturated zones, 61–62
 soil, 60
 soil as microbial environment
 abiotic stresses, 74–76
 biotic stresses, 74
 soil atmosphere
 constituents of, 73
 oxygen and soil respiration, 73–74
 solid phase
 cation-exchange capacity (CEC), 65–69
 organic matter in soil, 69–70
 primary particles and texture, 63
 soil architecture, 63–64
 soil pH, 69
 soil profiles, 64–65
 vadose zone, 60–61
 Earth's surface, 111
 Eavesdropping, 474–475
 Eclipse phase, 27
 EcoPlate, 202
 Ecosystem, 442
 services, 139, 140b
 Ectomycorrhizae, 456–457
 El Niño/Southern Oscillation (ENSO), 681–682
 Elective enrichment medium, 203
 Electrical double layer, 68–69
 Electron capture detector (ECD), 216–217
 Electron cryotomography (ECT), 190
 Electron microscopy, 191
 elemental analysis, 191
 scanning electron microscopy, 188–189
 transmission electron microscopy, 189–191
 Electronegative filters, 166–167
 Electropositive filters, 167
 Electrostatic deposition, 94–95
 Electrostatic interactions, 322–323
 Elemental analysis, 191
 Elution, of virus, 165, 167
 Eluviation, 64–65
 Emulsifiers, 385
 Endobiotic, in aquatic environments, 114
 Endocrine disrupting compounds (EDCs), 405, 629
 Endogenous electron shuttles, 371
 Endolithic algae, 26
 Endolithic communities, 144
 Endometabolome, 491
 Endomycorrhizal fungi, 24. *See also* Vesicular–arbuscular mycorrhizae (VAM)
 Endophytes, 6, 24, 453, 458
 Endospores, 17
 Endotoxic properties, 12–13
 Endotoxin, 101, 614–615, 665–666
 Endotoxin units (EU), 101–102
 Energy, 124
 biological generation of, 53b
 Energy-dispersive X-ray spectroscopy (EDS), 191
 metal detection, 428
 Enoyl–acyl carrier protein reductase enzyme (ENR), 659–660
 Enrichment medium, 203
Entamoeba histolytica, 526, 652
 Enteric pathogens, 510
 Enteric viral exposure, 573f
 Enteric viruses, 534–540
 adenoviruses, 534–536
 astroviruses, 534
 enteroviruses and paraechoviruses, 536–538
 hepatitis A virus (HAV), 538
 hepatitis E virus (HEV), 538
 human caliciviruses, 540
 rotavirus, 539–540
 Enteroaggregative *Escherichia coli* (EAEC), 513
 Enterobacterial repetitive intergenic consensus sequence-PCR (ERIC-PCR), 283–284
 Enterococci, 556–557
 Enterohemorrhagic *Escherichia coli* (EHEC), 513
 Enteroinvasive *Escherichia coli* (EIEC), 512–513
 Enteropathogenic *Escherichia coli* (EPEC), 512
 Enterotoxigenic *Escherichia coli* (ETEC), 512
 Enterotube, 202
 Enteroviruses, 536–538, 536t
 Environcheck® Pleated Cartridge filter, 169–170, 169f
 Environmental activity measurements, 214
 Environmental enhancement, 626
 Environmental impact statement (EIS), 378–379
 Environmental law, 378–380
 Environmental microbiology
 in 2013, 7
 defined, 3
 as discipline, 3–4
 microbial influences, 5–7
 relating to other disciplines, 4f
 Environmental samples, choosing appropriate activity measurement for, 220–221, 222t
 Environmentally transmitted pathogens, 509–511
 bacteria, 511–521
 blue–green algae, 520–521
Campylobacter, 514–515
Escherichia coli and *Shigella*, 512–514
Helicobacter, 516–517
Legionella, 517–518
 opportunistic bacterial pathogens, 518–520
Salmonella, 511–512
Vibrio, 515–516
Yersinia, 515
 fate and transport of enteric pathogens, 534–536
 incubation time for, 510t
 parasitology, 521–533
 cestodes (*Taenia saginata*), 531
 nematodes, 528–531
 protozoa, 522–528
 trematodes (*Schistosoma mansoni*), 532–533
 viruses, 534–544
 enteric viruses, 534–540
 respiratory viruses, 540–544
 Environments. *See* Aquatic environments
 Enzyme assays, 235–239
 dehydrogenase assay, 236–239
 Enzyme-linked immunosorbent assays (ELISA), 253–254, 254f
 advantages and disadvantages, 254
 application, 253–254
 technique, 253
 Epibiotic habitats, in aquatic environments, 114
 Epipelagic zones, of aquatic systems, 114
 Epitope, 260–261
Epulopiscium fishelsoni, 9
 ERIC (enterobacterial repetitive intergenic consensus), 291–292
 Ericaceous mycorrhizae, 456
 Erythromycin, 686b
Escherichia coli, 5t, 11, 27, 47f, 95, 163, 327, 553, 556, 637, 646t
 common pilus (ECP), 252, 253f
 macromolecular composition of, 12t
 O104:H4, 7
 O157:H7, 5t
 and *Shigella*, 512–514
 Essential metals, 417
 Euglenoids (Euglenophyta), 26
 Eukarya, 9–10
 Eukaryarchaeota, 20
 Eukaryotes, 9–10, 21–27
 algae, 26–27
 fungi, 21–24
 protozoa, 24–26
 Eukaryotic phytoplankton, 128
 Eukaryotic viruses, 31–32
 Euryarchaeota, 129
 Eutrophic, 121
 Evaporative light scattering detectors, 214–216
 Evenness, 497
 Event trees, 569, 570b
Ex situ bioremediation, 404–405
 Exoenzymes, 23–24
 Exogenous electron shuttle, 371
 Exometabolome, 491
 Exopolymer matrix, 117
 Exopolymers, 424
 Exponential phase
 bacterial growth
 in environment, 48
 in pure culture in flask, 39–41
 calculating specific growth rate for, 42b
 mean generation time versus specific growth rate, 40–41

- Exposure assessment, 566, 568–569
- Extracellular enzymes, 236, 345–346, 380–381
- Extracellular polymeric substances, 424
- Extracellular polysaccharide sheath, 144–145
- Extramural aeromicrobiology
- aerosolization of indigenous soil pathogens, 96–102
 - agriculture, 98–100
 - airborne toxins, 101–102
 - influenza pandemics, 97
 - microbiology in the clouds, 98
 - waste disposal, 100–101
- Extreme environments
- aphotic environments
 - acid mine drainage system, 148–149
 - based on chemolithoautotrophy, 146–151
 - deep-sea hydrothermal vents, 146–148
 - desert carbonate cave, 149–151
 - desiccation and UV stress
 - the Atacama Desert, Chile, 143–146
 - high temperature environments
 - geothermal hot springs, 142–143
 - low temperature environments
 - McMurdo Dry Valleys, Antarctica, 139–142, 140f
 - microbial communities in, 139
- Extremophiles, 19
- Exxon Valdez* oil spill, 683, 684b
- F**
- FabI* genes (*FabK*), 659–660
- Facultative anaerobes, 18–19
- Facultative ponds, 594, 595f
- Faith's diversity, 498
- Fast DNA Spin for Soil, 162–163
- Fatty acid synthesis, 659–660
- Fecal coliforms, 556
- and membrane filtration technique, 204
- Fecal contamination, water quality and, 309
- Fecal source, 310f
- Fecal streptococci, 556–557
- Fermentation, 19
- Ferroplasma*, 149
- Filamentous bulking, 590
- Filter adsorption–elution, 166f
- Filterite, 166–167
- Filtramax foam filter, 169–170, 169f
- Filtration, 633–634
- for controlling airborne contamination, 105
 - models, 335–336
 - sampling of air, 170, 173
- Fimbriae, 11b, 16–17
- Fingerprinting
- of microbial communities, 293–294
 - denaturing/temperature gradient gel electrophoresis, 293–294
 - terminal-restriction fragment length polymorphism (TRFLP) analysis, 293
 - of microbial isolates, 291–293
 - amplified fragment length polymorphism (AFLP) analysis, 292
 - PCR of repetitive genomic sequences, 291–292
 - plasmid analysis, 292–293
 - pulsed-field gel electrophoresis (PFGE), 292
 - restriction fragment length polymorphism (RFLP) analysis, 291
- Flagella, 11b, 16–17
- Flagellates, 82
- Flame ionization detector (FID), 216–217
- Flavonoids, 355
- Fleming, Alexander, 6
- Floating aeration device, 596f
- Flocculation, 634
- Flow cytometry, 187–188
- Fluorescein, in fluorescent immunolabeling, 185
- Fluorescein isothiocyanate (FITC), 184, 188, 251
- Fluorescence detectors, 214–216
- Fluorescence microscopy
- confocal laser scanning microscopy, 187
 - developing methods in, 188
 - direct counts, 184–185
 - flow cytometry, 187–188
 - fluorescence in situ hybridization, 186
 - fluorescent immunolabeling, 185–186
- Fluorescence-based approaches, 428
- Fluorescent antibody, 252
- Fluorescent immunolabeling, 185–186, 252
- advantages and disadvantages, 252
 - application, 252
 - technique, 252
- Fluorescence in situ hybridization (FISH), 149f, 186, 187f, 280, 446
- Fluorescent pseudomonads isolation, from soil, 205
- Fluorescent reporter genes, 298–300
- Fluorimeter, 214, 215f
- Fomites, 667–671
- categories of, 670b
 - detection of microorganisms on, 174
 - occurrence of pathogens on, 668–670
 - persistence of pathogens on, 670–671
 - in respiratory disease transmission, 669f
 - sampling of, 174
- Food and mouth disease, outbreaks of, 100b
- Foodborne infection, outbreak of, 3, 4b
- Foodborne pathogens, 666–667
- Food-to-microorganism ratio (F/M), 589
- “Fortuitous metabolism,” 450–451
- Frank pathogen, 509
- Frankia*, 78t
- Free available chlorine, 649–650
- Free water, 71–73
- Free water surface (FWS) systems, 599–600
- Fresh surface waters, virus analysis in, 165–166
- Freshwater wetlands, 134
- F-specific RNA coliphage, 559f
- Functional gene arrays (FGAs), 277–278
- Functional gene probe, 274–275
- Functional redundancy, 447
- Fungi, 6, 21–24
- cell walls structure, 22f
 - characteristic of, 76t
 - cultural methods for, 207
 - diversity, 22–23
 - environmental aspects, 23–24
 - examples and roles, 21t
 - as hyphae from soil or sediment, 164
 - lakes, freshwater environment, 132–133
 - in marine habitat, 129
 - in soils, 79–80
 - structure, 22
 - types of, 23f
- Fungistasis, 452b
- G**
- Gaia hypothesis, 340–342
- Gallionella*, 370–371
- Gambierdiscus toxicus*, 27
- Gamma and high-energy irradiation, 660
- Gamma-butyrolactones, 468–469
- Gammaproteobacteria, 130–131
- Gas chromatograph (GC), 216–217
- Gas chromatograph–mass spectrometer (GC-MS), 216f
- analysis, 254–255
- Gas chromatography–ion ratio mass spectrometry (GC-IRMS), 239–240
- GC clamp, 294
- “Gene chips,” 276–277
- Gene transfer, 331
- experiment, 49b
 - mechanisms, 686b
- Genetic information transfer, 17–18
- Genetic potential, 383–384
- Genome, 483–484
- Genomes OnLine Database (GOLD), 501
- Genomic mining, 6
- Genomics, 484–485
- Geometric averages, 562
- Geosmin, 520–521
- Geothermal hot springs, 142–143
- Geothrix fermentans*, 371
- Germ Theory of Disease, 3
- Giardia*, 25–26, 188
- Giardia* cysts, 170f, 653
- Giardia lamblia*, 522–523, 646t
- Gibbs energy, 322f, 324–325
- Global change and microbial infectious disease, 680–682
- global warming and microbial infectious disease, 680–682
 - urbanization and deforestation, 682
- Glomeromycota, 455–456
- Glucose, 50–51
- Glycocalyx, 11b, 15–16, 637
- Golden-brown algae, 26
- Gonyaulax*, 27
- Gram negative cell envelope, 13f
- Gram-negative bacteria, 11
- muropeptide sensing, 473
 - signaling via quorum sensing in, 462–468
 - Agrobacterium tumefaciens*, 467–468, 470f
 - interspecies cross-signaling, 466–467
 - N*-acyl homoserine lactones (AHL), 462–465
- Gram-positive bacteria, 11
- muropeptide sensing, 473–474
 - signaling in, 468–471
 - gamma-butyrolactones, 468–469
 - peptide signaling, 470–471
- Gram-positive cell wall, 13f

- Gravitational settling, 93
 Graywater, 583
 Green algae (Chlorophyta), 26
 Green fluorescent protein (GFP), 297–298
 “Green Revolution,” 4
 Greenhouse effect, 342–343
 Greenhouse gas Reduction through
 Agricultural Carbon Enhancement
 network (GRACEnet), 224–225
 Greenhouse gases, 5
 Greer, Frank, 85–86
 Grid sampling, of soil, 158–159
 Ground waters, virus analysis in, 165–166
 Groundwater contamination, 377
 Groundwater environment, 134
 Groundwater recharge, 626–627
 Groundwater Replenishment System
 (GWRS), 627
 Guild, 442
GusA gene, 297–298
Gymnodinium, 27
- ## H
- H5N1, 5–6
 Habitats, archaean, 20
Haemophilus influenzae, 143, 484
 Halobacteria, 134
 Halogenated aliphatics, 394–397
 aerobic conditions, 395–396
 anaerobic conditions, 396–397
 Halogens
 bromine and iodine, 652–653
 chloramines, 651–652
 chlorine, 649–651
 chlorine dioxide, 652
 Halophiles (haloarchaeans), 20, 134
 Haloquadratum, 134, 135*f*
 Halorespiration, 396
 Hand and food contact surfaces, 670
 Hand auger, collecting soil for microbial
 analysis, 157–158, 158*f*
 Hartig net, 456–457
Hartmannella vermiformis, 259
 Haustoria, 23
 Hazard identification, 565–566, 568, 572–573
 Heat treatment, 604
 Heavy metals, 416–417
 Hektoen enteric agar, 204–205
Helicobacter, 516–517
 Helminths, 521–522
 Hemicellulose, 346
 Hepatitis A virus (HAV), 538, 646*t*
 Hepatitis B virus (HBV), 174
 Hepatitis E virus (HEV), 538
 Heterocyclic compounds, 403–404
 Heterotrophs, 18
 Heterotrophic activity, 221
 Heterotrophic plate count (HPC), 202–203,
 558–559, 629–631, 667, 667*b*
 Heterotrophic potential, determination of, 231
 Heterotrophic substrates, 214–217
 High temperature environments, 142–143
 High-copy-number plasmids, 15
 High-efficiency particulate air (HEPA) filters,
 105, 159
 High-performance liquid chromatography
 (HPLC), 214–216, 215*f*, 216*f*
 High-throughput DNA sequencing
 technique, 8*b*
Histoplasma capsulatum, 97
 Hollow-stem auger drilling, 159–160, 160*f*
 Holobiont and hologenome hypotheses, 478
 Homologous recombination, 17
 Homopolymeric runs, 495
 Hong Kong flu, 97*t*
 Horizontal gene transfer (HGT), 683–685
 Hospital-acquired infections (HAI), 686
 Host/phage interactions, 30*b*
 Host-specific 16S rDNA, 312*t*
 House dust mites, 665
 Household sources of pathogens, 665–667
 air, 665–666
 food, 666–667
 water, 667
 HP/HB pathway, 151
 Human caliciviruses, 540
 Humic substances, 69–70, 421
 Humification, 386
 Humus, 59–60, 347–350, 349*f*
 Humus polymer, 70*f*
 Hybridization, 276
 and denaturation, 274*b*
 Hybridization-based assays, 274–280
 dot, southern and northern blots, 276
 fluorescence in situ hybridization (FISH), 280
 marker selection, 274–275
 microarrays, 276–280
 probe construction and detection, 275–276
 Hybridoma, 248–249
 Hydraulic conductivity, 328
Hydrogenobaculum, 143
 Hydrogenosomes, 25–26
 Hydrogeological factors, 327–329
 Hydrophilic region, 70
 Hydrophobic binding, 70, 71*f*
 Hydrophobic interactions, 322–325
 Hydrothermal vents, deep-sea, 146–148, 147*f*
 4-Hydroxybutyryl-CoA dehydratase, 150–151
 Hypersaline waters, 134, 135*f*
 Hyperthermophile, 75
 Hyperthermophilic archaeans, 20
 Hyphae, 11, 22
 Hypolithic communities, 144
- ## I
- Ice nucleators, 98
 ID₅₀, 571
 Illumination, Köhler, 178, 178*f*, 181
 Illuviation, 64–65
 Imaging micrography, 191–192
 Immobilization, 354–355
 Immunoaffinity chromatography assays,
 257–259
 advantages and disadvantages, 258–259
 application, 258
 technique, 257–258
 Immunoassays, 245–246
 Immunocytochemical assays, 259
 advantages and disadvantages, 259
 application, 259
 technique, 259
 Immunofluorescence, 252
 Immunoglobulins (Igs), 246–247
 Immunological methods, 245
 antibody, 246–251
 affinity, 248
 antiglobulins, 250–251
 diversity, 247
 monoclonal antibody, 248–250
 polyclonal antibody, 248–250
 specificity, 247
 immunoassays, 251–263
 competitive ELISA, 254–255
 enzyme-linked immunosorbent assays
 (ELISA), 253–254
 fluorescence immunolabeling, 252
 immunoaffinity chromatography assays,
 257–259
 immunocytochemical assays, 259
 immunomagnetic separation assays,
 255–256
 immunoprecipitation assays, 259–261
 lateral flow immunoassay (LFIA),
 261–263
 Western immunoblotting assays, 256–257
 immunosensors, 263–267
 surface plasmon resonance (SPR)-based,
 264*f*, 266–267
 Immunology, 245
 Immunomagnetic separation assays, 255–256
 advantages and disadvantages, 256
 application, 255–256
 technique, 255
 Immunoprecipitation assays, 259–261
 advantages and disadvantages, 261
 application, 260–261
 technique, 259–260
 Immunosensors, 263–267
 surface plasmon resonance (SPR)-based,
 264*f*, 266–267
 advantages and disadvantages, 267
 application, 267
 technique, 266–267
 Impaction, sampling of air, 170–173
 Impaction potential, 94
 Impingement, sampling of air, 170
In silico synthesis, 277
In situ bioremediation, 404–405
In situ lysis method, 162
 Inactivation
 mechanisms, of disinfectants, 646*t*
 of microorganisms, 95
InaZ gene, 297–298
 Incompatible plasmids, 15
 Indicator microorganisms, 551–552, 560
 bacteriophages, 559–560
Bacteroides and *Bifidobacterium*, 557–558
Clostridium perfringens, 557
 definitions and examples of, 552*t*
 fecal coliforms and *Escherichia coli*, 556
 fecal streptococci, 556–557
 heterotrophic plate count (HPC), 558–559
 standards and criteria for, 552*t*, 560–562
 total coliforms, 552–556
 membrane filter (MF) test, 553–554

- most probable number (MPN), 553
 presence–absence tests (P–A tests), 555–556
 Indirect labeling, 251–252
 Indirect potable reuse (IPR), 627
 Inductively coupled plasma mass spectroscopy (ICP-MS), 217, 428
 Industrial reuse, 625–626
 Infection, defined, 509
 Infectious pathogens, 666
 Influenza pandemics, 97
 Influenza viruses, 543
 In-line filtration, 633–634
 Innate immunity system, 245
 Inorganic nitrogen fertilizers, 158
 Integrated cell culture PCR (ICC-PCR), 283, 288–289
 Interaggregate pores, 63, 65*f*
 Interkingdom signaling, 476–478
 holobiont and hologenome hypotheses, 478
 signaling between bacteria and fungi, 476–477
 signaling between bacteria and human cells, 477–478
 signaling between bacteria and plants, 477
 Intermediate aquifers, 61–62
 Internal transcribed spacer (ITS), 300, 492
 International Census of Marin Microorganisms (ICoMM), 124–127
 Interspecies cross-signaling, 466–467
 Intraaggregate pores, 63, 65*f*
 Intramural aeromicrobiology
 buildings, 102–103
 hospitals and laboratories, 103–104
 Intrinsic bioremediation, 404–405
 Intrusion events, 640
 Iodine, 652–653
 2-(*p*-Iodophenyl)-3-(*p*-nitrophenyl)-5-phenyltetrazolium chloride (INT), 236–237
 Ionic strength, 325
 Ionizing radiation, 660
 Ions, 96
 Ion-selective electrodes (ISEs), 428
 Iron cycle, 368–371
 iron in marine environments, 369
 iron in soils and sediments, 368–369
 iron oxidation, 369–371
 chemoautotrophs, 369–370
 photoautotrophs, 371
 iron reduction, 371
 iron reservoirs, 368
 Iron respiration, 371
 Irreversible attachment, 323
 Isoelectric point (pI), 325
 Isolation, 105
 Isotope dilution, 234
- J**
 Jaccard index, 498
 JMP134, 49
- K**
Karenia brevis, 128–129
 Kinetic viscosity, 92–93
- Kinetics of disinfection, 647–648
Klebsiella pneumoniae, 321, 330
 Koch, Robert, 3
 Köhler illumination, 178, 178*f*, 181
 Kruskal's multidimensional scaling analysis, of DGGE, 146*f*
 Kyoto Encyclopedia of Genes and Genomes (KEGG), 501
- L**
 La France Disease, 32
LacZ gene, 297–298
 Lag phase
 bacterial growth
 in environment, 47–48
 in pure culture in flask, 38–39
 Lake freshwater environment, 132–133
 bacterial distribution, 133*f*
 characteristics of, 139–140
 chemocline in, 140–141, 141*b*
 fungi in, 132–133
 physicochemical parameters related to sulfur cycle in, 141*f*
 phytoplanktonic algae and photosynthetic bacteria, 132*f*
 Landfills, methane emissions from, 679
 Lateral flow immunoassay (LFIA), 261–263
 advantages and disadvantages, 263
 application, 261–263
 technique, 261
 Lateral/horizontal gene transfer, 17
 Lead poisoning, 416
Legionella, 5*t*, 7, 517–518, 646*t*, 652
Legionella pneumophila, 5*t*, 103, 259
 Legionnaires' disease, 103
 Legume–rhizobia symbiosis, 355*b*
 Length heterogeneity PCR (LHPCR), 312*t*, 314
Leptospirillum, 149
Leptothrix, 370–371
 Leucine incorporation into protein, 234
 Library-dependent methods, 309–310, 310*t*
 Library-independent methods, 310–311, 310*t*
 Lichens, 23, 74–75
 Lifts, 276
 Light microscopes. *See* Optical microscopes
 Light penetration, in aquatic systems, 113, 113*f*
 Lignin, 347, 348*f*
 Lignolytic degradation, 399
 Lime stabilization, 604
 Limnetic zone, of aquatic systems, 114
 Limnology, 131
 Lindow Man, 62*b*
 Linear alkyl benzenesulfonate (LAS)
 detergents, 390
 Linear and area sources, 92
 Lineweaver–Burk transformation, 232, 232*f*
 Lipopolysaccharide (LPS), 11*b*, 12–13, 101, 614–615
 Liquid chromatography–mass spectrometry (LC-MS), 489–490
 Liquid manure injection, 611*f*
 Liquid scintillation counting, 220, 220*f*
Listeria, 3
Listeria monocytogenes, 256
 Lithobiontic microbial communities, 144
- Live vs. dead microorganisms, detection of, 288–289
 LIVE/DEAD BacLight stain, 184, 185*f*
 Loam, 164*t*
 Low temperature environments, 139–142
 Low-copy-number plasmids, 15
 Luciferases, 298
 Luminescent reporter genes, 298
Lux genes, 297–300
LuxAB genes, 298
 Lymphocytes, 245
 Lysogeny, 28–29
 Lytic cycle, 31
- M**
 Macrophages, 246
 Macroscale transport, 92
 Magnification, 178
 Managed aquifer recharge (MAR), 627
 Manure, 617–618
 land application of, 610–612
 Marine environments
 benthic communities
 rock-eaters in, 131
 sediments, 130–131
 habitats, 126*t*
 planktonic communities
 heterotrophic microbes, 126*b*, 129
 phytoplankton, 127–130
 viruses, 129–130
 Marine oil spills, microbial remediation of, 683
 Marine waters, virus analysis in, 165–166
 Marker genes, 492
 study, 300–301
 Marker selection, 274–275
 Mass spectrometer (MS), 217
 Mastigophora, 25
 Matric and capillary forces, 72–73
 McMurdo Dry Valleys, in Antarctica, 139–142, 140*f*
 1MDS positively charged organic polymeric resin, 167
 Mean generation time versus specific growth rate, 40–41
 Meier, F.C., 89
 Membrane bioreactors (MBR), 592
 Membrane filter (MF)
 for microbial sampling, 173
 test, 553–554, 555*f*
 Membrane filtration, 169
 technique, 196
 fecal coliforms and, 204
 Mercury, methylation of, 431
 Mercury pollution, 416
 Mercury resistance, 426
 Mesopelagic zones, of aquatic systems, 114
 Mesophile, 75
 Mesoscale transport, 92
 Messenger RNA (mRNA), 273, 278–280
 Metabolism
 bacterial, 18–19
 during growth and nongrowth conditions, 37
 Metabolome, 483
 Metabolomics, 490–492
 MetaCyc, 501

- Metagenome, 148
- Metagenomic analysis, 148
for acid mine drainage (AMD) system, 149
for desert carbonate cave, 150–151
- Metagenomics, 295–296, 485–488
- Metagenomics-based analyses, 297*f*
- Metal efflux systems, 425
- Metal ions, 654–656
- Metal transformation, 429–431
- Metalloids, 416–417, 422
- Metallothioneins, 425
- Metal–microbe interactions, 422
- Metals
cation exchange capacity, 420–421
cause for concern, 416
chemistry, 420
corrosion of, 430
defined, 416–418
electroreclamation methods, 432–433
in environment, 415–416
essential, 417, 417*f*
homeostasis, 415–416
immobilization, 431
metal–microbial interactions, methods for
studying, 426–428
culture medium, 426–427
microbial metal transformations, 429–431
methylation, 431
oxidation-reduction, 429–430
nontoxic nonessential, 417*f*, 418
pH, 421–422
redox potential, 421
remediation
microbial approaches in, 433–436
physicochemical methods of, 431–433
removal from soils or sediments, 431–432
resistance and detoxification, 422–426
general mechanisms, 423–425
metal-dependent mechanisms, 425–426
sequestration, 435
solubility, bioavailability and speciation,
415, 419–422
sources, 418–419
anthropogenic, 418
natural, 418–419
total versus soluble, 416*b*
toxic, 417–418, 417*f*
toxicity effects on the microbial cell, 422
- Metaproteome characterizations, 491*f*
- Metatranscriptomics, 488–489
and metabolomics, 488*b*
- Methane, 343–344, 350–351, 408
- Methane emissions from landfills, 679
- Methane monooxygenase (MMO), 257, 351,
381–382
- Methane oxidation, 351
- Methanogenesis, 52, 350–351, 679
- Methanogens, 20, 233, 351
- Methanotrophic bacteria, 381–382
- Methanotrophs, 351
- Methicillin-resistant *Staphylococcus aureus*
(MRSA), 5–6, 5*r*, 473–474, 686
- Methyl tert-butyl ether (MTBE), 331
- Methylated aromatic derivatives, 402
- Methylation of metals, 426
- 2-Methylisoborneo (MIB), 520–521
- Methylobacterium extorquens*, 239
- Methylosinus*, 78*t*
- Methylosinus trichosporium*, 257
- Methylotrophs, 352
- Michaelis–Menten kinetics, 232
- Microaerophilic microbes, 366
- Microarray experiment, steps in, 279*f*
- Microarrays, 276–280
- Microbial activity, 214
anaerobic respiration as an indicator of, 233
basal rate, in soil samples, 225–226
carbon dioxide evolution, 219–220
CO₂ trapping, 219–220
¹⁴CO₂ trapping, 220
cell mass, 219
protein, 219
turbidity, 219
measurement in pure culture, 214–220
micro-level measurements of, 228–230
substrate utilization, 214–217
chemoautotrophic substrates, 217
heterotrophic substrates, 214–217
terminal electron acceptors (TEAs),
217–219
alternative, 218–219
colorimetric assays, 218
oxygen probes, 218
- Microbial biofilms, in removing metals, 435,
437*f*
- Microbial biomass determination, 227–228
- Microbial biosensors, 428
- Microbial communities, 441–442
functional diversity and resilience of,
446–450
- Microbial community, 442
structure, 639–640
- Microbial contributions to climate change,
677–679
methane emissions from landfills, 679
nitrous oxide emissions from soil, 677–679
- Microbial diversity, 442–450
environmental factors impacting, 445–446
in hypolithic crusts, 145
impact of major environmental factors on,
445*r*
and natural products, 457–458
in soil and ocean environments, 444–445
species, 443–444
- Microbial filtration, 320
- Microbial habitats, in aquatic environments
benthic microbes, 115–117
biofilms and microbial mats interface,
117–120
physical and chemical characteristics,
111–114
planktonic microbes, 114–115
typical misconceptions, 111–113
- Microbial influences
air quality, 7
antibiotics, 6
food, 7
infections, 5–6
life on Earth, 5
on our daily lives, 5–7
- water quality, 6–7
- Microbial interactions, 450–457
microbe–microbe interactions, 450–452
microbial megacommunities, 452–457
biofilm communities, 453
impacting animal and human pathogens,
457
rhizosphere communities, 453–457
- Microbial loop, in aquatic systems, 122–123
- Microbial mats, 118–120, 453
importance on early Earth, 120*b*
- Microbial metal transformations, 429–431
methylation, 431
oxidation-reduction, 429–430
- Microbial nucleic acids, obtaining, 273–274
- Microbial pathogens, 6*r*
- Microbial risk assessment, 572–577
- Microbial source tracking (MST), 307,
309–314, 310*r*
application of, 315
Bacteroides, 314–315
microbial source tracking (MST) methods,
309–314
technique, 8*b*
types of, 310*r*
water quality and fecal contamination, 309
- Microbial strain, 310*r*
- Microbial transport, 320
factors affecting, 319–329
cellular appendages, 327
hydrogeological factors, 327–329
impact of ionic strength, 325–326
impact of pH, 325
microbial adhesion, 321–325
microbial filtration, 320
persistence and activity of introduced
microbes, 329
physiological state, 320–321
factors affecting transport of DNA, 329–330
- models for, 334–336
advection–dispersion models, 334–335
filtration models, 335–336
novel approaches to facilitate, 330–331
gene transfer, 331
surfactants, 330–331
ultramicrobacteria (UMB), 330
studies, 331–333
column studies, 331–332
field studies, 332
tracers, 332–333
- Microbial-associated molecular patterns
(MAMPs), 474
- Microbially enhanced oil recovery (MEOR),
330
- Microbial water quality aspects of recycled
water, 629–631
algae, 631
bacteria, 629–631
protozoa, 631
viruses, 631
- Microcosm, 221–223
- Micro-level measurements of microbial
activity, 228–230
- Microlimnology, 131
- Microorganisms, 9, 623–624

- in deep subsurface environments, 85–87
 - distribution of, in soil, 82–83
 - in shallow subsurface environments, 84–85
 - in subsurface environments, 83–87
 - in surface soils, 76–82
 - Microorganisms and organic pollutants, 375
 - bioavailability, 385–386
 - biodegradation, overall process of, 380–383
 - bioremediation, 404–411
 - addition of microorganisms or DNA, 409–411
 - addition of oxygen or other gases, 407–408
 - addition of surfactants, 409
 - nutrient addition, 408
 - sequential anaerobic–aerobic degradation, 408–409
 - contaminant structure, 387
 - electronic effects, 387
 - steric effects, 387
 - environmental factors affecting
 - biodegradation, 387–390
 - nitrogen, 388–389
 - organic matter content, 388
 - pH, 389
 - redox conditions, 387–388
 - salinity, 389
 - temperature, 389
 - water activity, 389–390
 - environmental law, 378–380
 - genetic potential, 383–384
 - organic pollutants, biodegradation of, 390–404
 - alicyclics, 397–398
 - aliphatics, 390–397
 - aromatics, 399–402
 - dioxins and PCBs, 402–403
 - heterocyclic compounds, 403–404
 - pesticides, 404
 - pollutant sources and types, 390
 - toxicity, 384–385
 - Micropore exclusion, 64, 320
 - Microscale transport, 92
 - Microscopy
 - comparison of types of, 180*t*
 - electron
 - elemental analysis, 191
 - scanning electron microscopy, 188–189
 - transmission electron microscopy, 189–191
 - fluorescence
 - confocal laser scanning microscopy, 187
 - developing methods in, 188
 - direct counts, 184–185
 - flow cytometry, 187–188
 - fluorescence *in situ* hybridization, 186
 - fluorescence immunolabeling, 185–186
 - history of, 177
 - imaging, 191–192
 - scanning probe
 - atomic force microscopy, 191
 - theory of, 177–179
 - visible light microscopy
 - bright-field microscopy, 179–181
 - dark-field microscopy, 181
 - differential interference contrast microscopy, 181, 182*f*
 - phase contrast microscopy, 181, 181*f*
 - polarization, 181–183, 182*f*, 183*f*
 - preparation from soil samples, 183–184
 - sample preparation from liquid samples, 183
 - Microsporidia, 170*f*, 527–528
 - Mine tailings, 610*b*, 610*f*
 - Mineral particles, in size, 63*b*
 - Mineralization, 380
 - Minimal media, 202–203
 - Mixed-liquor suspended solids (MLSS), 589
 - Mixed-liquor volatile suspended solids (MLVSS), 589
 - Mixing, in aquatic systems, 113
 - Molds, 22, 665
 - in buildings, 104*b*
 - Molecular (genotypic) methods, 310*t*
 - Molecular birefringence, 182–183
 - Monoclonal antibody, 248–250
 - Monod equation, 43
 - Monod growth constants, 44*b*
 - Monooxygenase enzyme, 390
 - Monte Carlo simulation, 572
 - Most probable number (MPN) approach, 169, 201–202, 290, 553, 554*f*
 - Salmonella* and, 204–205
 - Mueller–Hinton tetrathionate broth, 204
 - Multi-angle light scattering (MALS), 641
 - Multilocus sequence typing (MLST) approach, 302, 444
 - Multiple cloning site (MCS), 294–295
 - Multiple displacement amplification (MDA), 290
 - Multiplex PCR, 283–284
 - Municipal biosolids, 607
 - Municipal wastewater treatment, 581
 - land application of wastewater, 597–599
 - nature of wastewater, 583–586
 - oxidation ponds, 594–596
 - primary treatment, 586
 - removal of organics and inorganics, 594
 - removal of pathogens, 592–594
 - secondary treatment, 586–592
 - activated sludge, 589–590
 - Bardenpho process, 591–592
 - membrane bioreactors (MBR), 592
 - nitrogen removal, 590
 - phosphorus removal, 590–591
 - trickling filters, 587–588
 - septic tanks, 596–597
 - sludge processing, 601–605
 - sludge processing to produce Class A biosolids, 603–605
 - stabilization technologies, 601–602
 - tertiary treatment, 592
 - wetlands systems, 599–601
 - Muramyl dipeptide (MDP), 474
 - Muropeptides, 473
 - sensing, 473–474
 - Mushrooms, 22
 - Mutualism, 452
 - Mycelia, 22. *See also* Hyphae
 - Mycobacterium*, 180–181
 - Mycobacterium avium* complex (MAC), 519–520, 646*t*
 - Mycobacterium* spp., 646*t*
 - Mycobacterium tuberculosis*, 24, 105
 - Mycorrhizae, 24
 - Mycorrhizal fungi, 5*t*, 455
 - Mycotoxins, 7, 262
 - Mycoviruses, 32
- ## N
- N*-acetylglucosamine (NAG), 12–13
 - N*-acetylmuramic acid (NAM), 12–13
 - N*-acyl homoserine lactones (AHL), 462–465, 475
 - signal mimics, 476
 - Naegleria fowleri*, 6*t*, 26, 457, 526–527
 - Nalidixic acid, 686*b*
 - NanoSIMS, 240
 - Nanowires, 16–17
 - National Ambient Air Quality Standard (NAAQS), 90
 - National Center for Biotechnology Information (NCBI), 300
 - National Contingency Plan (NCP), 378*b*, 379–380
 - National Environmental Policy Act (NEPA), 378–379
 - National Priority List (NPL), 379–380
 - Natural attenuation, 214, 404–405
 - Navicula*, 81
 - Near real-time assays, 641–642
 - Near-field scanning optical microscopy, 191
 - Necator americanus*, 530–531
 - Nematodes, 528–531
 - Ascaris lumbricoides*, 528–530
 - Necator americanus* and *Ancylostoma duodenale*, 530–531
 - Trichuris trichiura*, 530
 - Network-based approaches, 502
 - Neuston, 114, 114*f*
 - Neutrality, 452
 - NEWater, 628*b*
 - Next generation sequencing, 150
 - Next-generation genome sequencing technologies, 7
 - Nicotinamide adenine dinucleotide (NAD), 659–660
 - Nitrate immobilization, 360
 - Nitratiruptor* species, 147–148
 - Nitrification process, 117, 217, 358–359, 359*b*
 - Nitrifying organisms isolation, from soil, 205–206
 - Nitrobacter*, 77*t*
 - Nitrogen cycle, 352–363, 352*f*
 - ammonia assimilation, 356–357
 - ammonification, 357–358
 - ammonium oxidation, 358–360
 - anammox, 359–360, 360*b*
 - nitrification, 358–359, 359*b*
 - nitrate reduction, 360–363
 - assimilatory nitrate reduction, 360
 - dissimilatory nitrate reduction, 360–363
 - nitrogen fixation, 353–354
 - nitrogen reservoirs, 353
 - Nitrogen fixation, process of, 356*b*
 - Nitrogen removal from wastewater, 590
 - Nitrogenase, 356

- Nitrogen-fixing microorganisms,
photoautotrophic, 144
Nitrosomonas, 77*t*
Nitrosomonas europaea, 14*b*
Nitrous oxide emissions from soil, 677–679
Nod factors, 355
Nonconjugative plasmids, 15
Nonpoint source contamination, 377
Nontoxic nonessential metals, 417*f*, 418
Norovirus, 5*t*, 6*t*
Northern blotting, 276
Norwalk virus, 541*f*
Nosocomial infections, 667
Nostoc commune, 144–145
Novobiocin, 686*b*
NR10 broth, 204
NSF Kartchner Caverns Microbial
Observatory, 149–150
Nucleic acid-based methods of analysis, 271
amplification-based assays, 280–290
challenges for PCR-based amplification
methods, 290
detection of live vs. dead microorganisms,
288–289
multiple displacement amplification
(MDA), 290
PCR assays, 283–284
PCR target sequences, 284–287
polymerase chain reaction (PCR), 280
RNA amplification using PCR, 287–288
steps of PCR, 281–283
appropriate nucleic, choosing, 302
DNA fingerprinting, 290–294, 291*f*
of microbial communities, 293–294
of microbial isolates, 291–293
hybridization-based assays, 274–280
dot, southern and northern blots, 276
fluorescence *in situ* hybridization (FISH),
280
marker selection, 274–275
microarrays, 276–280
probe construction and detection,
275–276
obtaining microbial nucleic acids from
environment, 273–274
recombinant DNA techniques, 294–300
cloning, 294–295
fluorescent reporter genes, 298–300
luminescent reporter genes, 298
metagenomics, 295–296
sequence analysis, 300–302
structure and complementarity of nucleic
acids, 271–273
Nucleoid, 14–15
Nucleoid-associated proteins, 14–15
Nucleotide polymorphisms, 149
Nutrient-poor media, 202–203
Nutrient-rich media, 202–203
- O**
Obligate hydrocarbonoclastic bacteria
(OHCB), 389
Occupational risk of infection, from
bioaerosols, 102
Octadecane, 50–51
Oligonucleotides, 274
Oligotrophic, 121
Omics, 483–484, 484*f*
OMICS technique, 8*b*
Open air factors (OAFs), 96
Open reading frames (ORFs), 500
Operational taxonomic unit (OTU), 77–78,
443–444, 496–497, 499
Opines, 468
Opportunistic and nosocomial
pathogens, 669*t*
Opportunistic bacterial pathogens, 518–520
Opportunistic pathogens, 509
Optical microscopes, 179, 179*f*
compared with electron microscopes, 188*t*
Orange County Groundwater Replenishment
System (GWRS), 628*b*
Orchidaceous mycorrhizae fungi, 455–456
Organic carbon and microbial growth,
637–639
Organic matter, 116
Organic matter in soil, defined, 69–70
Organic pollutants, biodegradation of, 390–404
alicyclics, 397–398
aerobic conditions, 398
anaerobic conditions, 398
aliphatics, 390–397
alkanes, 390–394
halogenated aliphatics, 394–397
aromatics, 399–402
substituted aromatics, 401–402
unsubstituted aromatics, 399–401
dioxins and PCBs, 402–403
heterocyclic compounds, 403–404
pesticides, 404
pollutant sources and types, 390
Organic polymers, 344–347
Organic residuals, 607
Class B biosolids, regrowth and reactivation
of pathogens within, 616–617
land application of, 610–612
biosolids, 610
manures, 610–612
pathogens of concern in, 616–618
quantitative microbial risk assessment of
pathogens in, 618–619
Organics and inorganics removal by sewage
treatment, 594
Organisms, classification of, 9–10
Organotroph, 18
Orphan quorum sensing regulators, 475
Outer membrane, 11*b*, 12–13
Oxidation, beta. *See* β -oxidation
Oxidation ponds, 594–596
Oxidation reactions, 395–396
Oxygen, 96
Oxygen measurement using Chemets Kit, 218*f*
Oxygen microprobe, 218*f*
Oxygen toxicity, 96
Oxygen uptake, 217–218
alternative terminal electron acceptors,
218–219
colorimetric assays, 218
oxygen probes, 218
Ozone, 653–654
- P**
Paclitaxel, 6
PAMPs (pathogen-associated molecular
patterns), 474
Paraechoviruses, 536–538, 536*t*
Parainfluenza viruses, 542
Paramyxovirus, 542
Parasitology, 521–533
cestodes (*Taenia saginata*), 531
nematodes, 528–531
protozoa, 522–528
trematodes (*Schistosoma mansoni*), 532–533
“Part 503 Sludge Rule,” 608
Particle-associated microbes, 114
Particulate organic matter (POM), 114–115
Parvoviruses, 646–647
Pasteur, Louis, 3
Path tortuosity, 327
Pathogen removal by sewage treatment,
592–594, 593*t*
Pathogen transmission, 669*f*, 671–673
Pathogens, defined, 509
Pathogens, microbial, 5–6, 6*t*
Pattern-recognition receptors (PRRs), 474
PCR analysis
of archaea, 150
of repetitive genomic sequences, 291–292
for virus analysis, 165, 167–168
Peat layers, 61–62
Peds, 63, 64*f*
Pelagibacter ubique, 129
Pelagic zone, of aquatic systems, 114
Penicillin, 686*b*
Penicillin-binding proteins (PBPs), 473
Penicillium, 6, 22–24, 79–80, 457–458
Penicillium griseofulvum, 21–22
Penicillium notatum, 21–22
Penicillium spp., 21*t*
Pentachlorophenol (PCP), 50–51, 402
Peptide mass fingerprinting (PMF), 490
Peptide signaling, 470–471
Peptidoglycan, 12–13, 346–347
Perchloroethene (PCE), 396–397
Periplasmic space, 11*b*, 12–14
Permeable reactive barriers (PRB), 433
Persistence and activity of introduced
microbes, 329
Pesticides, 404
PFLA-SIP, 239–240
pH
effect on metal sorption, 421–422
soil, 69*b*, 75, 75*b*
Phage, 27
Phage interactions, 30*b*
incidence in different environments, 31*t*
role in environmental microbiology, 31*b*
Phagocytosis, 26
Phanerochaete chrysosporium, 23–24, 79–80,
399
Pharmaceuticals and personal care products
(PPCPs), 405
Phase contrast microscopy, 181, 181*f*
with amplitude-altering film, 182*f*
of free-living nitrogen-fixing
cyanobacterium, 181*f*

- pH-dependent charge, 66
 Phenotypic genetic potential, 384*b*
Phlebia, 23–24
Phlebiopsis gigantea, 258
 3'-Phosphoadenosine-5'-phosphosulfate (PAPS), 364
 Phospholipid-derived fatty acids, 239–240
 Phosphorus removal from wastewater, 590–591
 Photic zone, of aquatic systems, 113
 Photoautotrophic sulfur oxidation, 367
 Photoautotrophs, 18, 371
 Photoautotrophy vs. chemoautotrophy, 121–122
 Photocatalysts, 658–659
 Photodiode array detector, 214–216
 Photodynamic inactivation and photocatalysts, 658–659
 Photoheterotrophs, 18
 Photoheterotrophy, 124, 125*f*
 Photoreactivation, 657–658
 Photosynthesis, 119, 146
 Photosynthetic organisms, 343
 Phototroph, 18
 Phylogenetic analyses, 300, 300*b*, 499
 Phylogenetic diversity, 498
 Phylogenetic oligonucleotide arrays (POAs), 277
 Phylogenetic probes, 274–275
 Physiological methods, 213
 adenylate energy charge, 234–235
 carbon respiration, 221–233
 anaerobic respiration as an indicator of microbial activity, 233
 measurement of CO₂ and O₂ in laboratory and field studies, 221–225
 respiration measurements application in environmental microbiology, 225–230
 tracer studies to determine heterotrophic potential, 230–232
 choosing activity measurement for environmental samples, 220–221, 222*t*
 enzyme assays, 235–239
 dehydrogenase assay, 236–239
 microbial activity measurement in pure culture, 214–220
 carbon dioxide evolution, 219–220
 cell mass, 219
 substrate utilization, 214–217
 terminal electron acceptors (TEAs), 217–219
 radiolabeled tracers incorporation into cellular macromolecules, 233–234
 leucine incorporation into protein, 234
 thymidine incorporation into DNA, 233–234
 stable isotope probing (SIP), 239–240
Phytophthora infestans, 99
 Phytoplankton, 114, 115*f*
 eukaryotic, 128
 marine, 127–129
 Picoplankton, 30
 Pili, 11*b*, 16–17
Pilobolus, 22
 Pilus, 17
 PJP4 plasmid, 49
 Planctomycetales, 130–131
 Planctomycetes, 117
 Planctomycetes, Verrucomicrobia and Chlamydiae (PVC) superphylum, 20–21
 Plankton, 452–453
 Planktonic food web, 114, 115*f*
 Planktonic microbes, 114–115
 Plaque-forming unit (PFU) method, 167–168, 210
 Plasmid, 11*b*
 Plasmid analysis, 292–293
 Plasmid fingerprints, 293
 Plasmid profiles, 293
 Plasmids, 15
 bacterial functions, 15*b*
 types of, 15*b*
 Plating methods
 most probable number (MPN) technique, 201–202
 unculturable bacteria, 196–201
Pleoglossus altivelis, 31
 PM₁₀, 89–90
 PM_{2.5}, 89–90
P-nitrophenol, 236
 Point sources, 92, 377
 Polarization microscopy, 181–183, 182*f*, 183*f*
 Poliovirus, 652
 Polyaromatic hydrocarbons (PAHs), 255, 399
 Polychlorinated biphenyls (PCBs), 385, 404*b*
 Polyclonal antibody, 248–250
 Polycyclic aromatic hydrocarbons, 399
 Polyelectrolytes, 634
 Polymerase chain reaction (PCR), 280, 281*b*, 295, 310–311
 assays, 283–284
 -based amplification methods, challenges for, 290
 RNA amplification using, 287–288
 steps of, 281–283
 target sequences, 284–287
 Polymerization, 382–383
 Polymyxin, 686*b*
Polyporus squamosus, 21*t*
 Pontiac fever, 103
 Populations, 442
 Pore clogging, 320
 Pore space, 63, 65*f*
 Positive crosscommunication, 466
 Potable reuse, 627
 Potable water, 633
 virus analysis in, 165–166
 Pour plate method, 196
 Predation, 452
 Pre-enrichment or resuscitation medium, 203
 Preferential flow, 329
 Presence–absence tests (P–A tests), 555–556
 Primary cell culture, 208
 Primary detection agent, in fluorescence immunolabeling, 185
 Primary producers, 114–115. *See also* Photosynthetic organisms
 Primary production, 121–122
 Primary sludge, 586
 Printed cDNA arrays, 277
 Printed oligonucleotide arrays, 277
 Prions, 6*r*, 33, 615–616
 environmental aspects, 33
 structure of, 33
 Probe construction and detection, 275–276
 ProbeBase database, 275
 Probiotics, 470–471, 471*f*
Prochlorococcus, 31, 127–129
 Prokaryotes, 10–21
 archaeans, 19–20
 bacteria, 10–11
 bacterial
 appendages, 16–17
 cell envelope, 11–14
 cytoplasm, 14–15
 endospores, 17
 glycocalyx, 15–16
 bacterial metabolism, 18–19
 genetic information transfer, 17–18
 Planctomycetes, Verrucomicrobia and Chlamydiae (PVC) superphylum, 20–21
 structural features of, 11*b*
 Prokaryotic viruses, 30–31
 environmental aspects, 30–31
 structure and life cycle, 30
 Prophage, 28–29
 Propidium monoazide (PMA), 289
 Protein, 219
 Proteobacteria, 80, 274–275
 Proteome, 483, 489
 Proteomics, 489–490
 Proteorhodopsin, 124
 Protists, 9–10
 Protozoa, 24–26, 133, 522–528, 631
 Cryptosporidium, 523–526
 Cyclospora sp., 527
 Entamoeba histolytica, 526
 environmental aspects, 25–26
 Giardia lamblia, 522–523
 Microsporidia, 527–528
 Naegleria fowleri, 526–527
 roles in environmental microbiology, 26*b*
 in soils, 82
 structure and function, 25
 Toxoplasma gondii, 528
 Protozoan parasites, 165
 procedure for processing and staining water samples for detection of, 171*f*
 processing water samples for detection of, 169–170
Pseudomonas, 11, 18–19, 77*t*, 519, 560
Pseudomonas aeruginosa, 14*b*, 331, 453, 474, 637–638, 659–660
 scanning electron microscope of, 190*f*
Pseudomonas chlororaphis, 466
Pseudomonas glathei, 49
Pseudomonas plecoglossicida, 31
Pseudomonas putida, 399–401
Pseudomonas spp., 5*t*, 15–16
 Psychrophilec microbes, 75
 Psychrotolerant, 140–141
 PTYG, 161, 162*t*
 Public toilets, 670

- Pulsed-field gel electrophoresis (PFGE), 292, 312*t*, 313, 313*f*
- PulseNet program, 293*b*
- Pyranose oxidase, 258
- Pyrococcus furiosus*, 20
- Pyrolobus fumarii*, 142
- Pyrotag analysis, for bacterial diversity, 150
- Pythium ultimum*, 24
- Q**
- QPCR (quantitative polymerase chain reaction), 8*b*
- Quality assurance project plan (QAPP), 157, 158*b*
- Quantitative microbial risk assessment (QMRA), 8*b*, 618–619
- Quantitative polymerase chain reaction (qPCR) technique, 283–285, 284*b*, 314
- Quantitative risk assessment (QRA), 565
- Quantitative structure–activity relationship (QSAR) models, 384–385
- Quaternary ammonium compounds (Quats), 659
- Quorum sensing, 462
- inhibition, 475–476
- in marine squid, 465*b*
- signaling via
- in *Agrobacterium tumefaciens*, 467–468, 470*f*
- interspecies cross-signaling, 466–467
- N*-acyl homoserine lactones (AHL), 462–465
- in *Streptomyces griseus*, 470*f*
- R**
- R/S ratios, 453
- Radiolabeled tracers incorporation into cellular macromolecules, 233–234
- incorporation of leucine into protein, 234
- incorporation of thymidine into DNA, 233–234
- Radionuclide metals, 417–418
- Rain deposition, 94
- Ralstonia eutrophus* JMP134, 49
- Random amplified polymorphic DNA (RAPD), 291
- Random sampling, of soil, 158–159
- Rapid filtration, 634
- Rapid infiltration extraction (RIX), 598
- Rappaport–Vassiliadis (RV) broth, 204
- “The rare biosphere,” 201
- Rarefaction, 498
- Reaction site, 387
- Real-time monitoring, 640–642
- Real-time sensors technique, 8*b*
- Reannealing, 274*b*
- Recombinant DNA techniques, 294–300
- cloning, 294–295
- metagenomics, 295–296
- reporter gene systems, 296–300
- fluorescent reporter genes, 298–300
- luminescent reporter genes, 298
- Reconcentration, in virus analysis, 165, 167
- Recreational reuse, 626
- Recreational water quality standards, guidelines for, 562*t*
- Recycled water
- application, in the U.S., 624–628
- agricultural irrigation, 625
- direct potable reuse (DPR), 627–628
- environmental enhancement, 626
- groundwater recharge, 626–627
- indirect potable reuse (IPR), 627
- industrial reuse, 625–626
- potable reuse, 627
- recreational reuse, 626
- urban reuse, 625
- microbial water quality aspects of, 629–631
- algae, 631
- bacteria, 629–631
- protozoa, 631
- viruses, 631
- regulations, 628–629
- and water quality standards, 628–629
- reuse, 623–624
- treatment technologies to produce, 624
- Red algae (Rhodophyta), 26
- Red fluorescent protein (RFP), 298
- Redox potential, 75–76, 76*t*
- Reductive dehalogenation, 396
- Reference genomes, 500–501
- Refractometers, 214–216
- Regression analysis, 145
- Regrowth/reactivation of pathogens, 616–618
- Relative humidity, 95
- Relaxed plasmids, 15
- REP (repetitive extragenic palindromic), 291–292
- Repetitive DNA sequences (Rep-PCR), 312*t*, 313
- Reporter gene systems, 296–300
- fluorescent reporter genes, 298–300
- luminescent reporter genes, 298
- Reservoir, 342, 670
- Reservoirs–disseminators, 670
- Resilience, 447
- Resistance, 447, 659
- Resolution, 177–178
- Resolving power, 177–178, 178*b*
- Resource Conservation and Recovery Act (RCRA), 378*b*
- Respiration, 18–19, 221
- Respiration measurements application in environmental microbiology, 225–230
- biological oxygen demand (BOD), 228
- microbial activity basal rate in soil samples, 225–226
- microbial biomass determination, 227–228
- micro-level measurements of microbial activity, 228–230
- substrate-induced microbial activity, 226–227
- Respiratory syncytial virus (RSV), 542–543
- Respiratory viruses, 540–544
- influenza viruses, 543
- parainfluenza viruses, 542
- paramyxovirus, 542
- respiratory syncytial virus (RSV), 542–543
- rhinoviruses, 541–542
- severe acute respiratory virus (SARS), 543–544
- Restriction enzymes, 291
- Restriction fragment length polymorphism (RFLP) analysis, 291
- Retardation factor, 333
- Reverse transcriptase PCR (RT-PCR), 283, 287–288, 289*f*
- Reversible adhesion, 322
- Reynolds, Osbert, 92–93
- Reynolds equation, 92–93
- Rhabdoviridae, 31
- Rhinoviruses, 174, 541–542
- Rhizobia, 5*t*, 7
- Rhizobium*, 78*t*, 327
- Rhizoplane, 453
- Rhizopods. *See* Amoebae
- Rhizopus*, 21*t*, 22
- Rhizosphere, 4, 7, 453–457
- Rhizosphere soil, 159
- Ribonucleic acid (RNA), 271–272
- Ribosomal RNA (rRNA), 9–10, 15, 273, 492
- Ribosomes, 11*b*, 15
- Ribotyping, 312*t*, 313*f*
- Ricinus communis*, 261–262
- Rifampicin, 686*b*
- Riftia pachyptila*, 147, 148*f*
- Risk assessment, 565
- dose–response assessment, 569–571
- elements of, 565–568
- exposure assessment, 568–569
- hazard identification, 568
- microbial risk assessment, 572–577
- risk characterization, 572
- risk projection and management, 572
- uncertainty analysis, 572
- Risk communication, 566
- Risk management, 566
- Rivers, freshwater environment, 131–132
- RNA amplification using PCR, 287–288
- RNA-SIP, 239–240
- Rodac agar plates, 174
- Rotavirus, 539–540, 646*t*
- RuBisCo genes, 151
- S**
- Saccharomyces*, 22–23
- Saccharomyces cerevisiae*, 21*t*, 23*f*
- Salinity, 113*b*
- Salmonella*, 5*t*, 511–512, 666, 686
- and MPN Technique, 204–205
- protocol for detection of, from biosolids, 205*f*
- Salmonella enteritidis*, 99–100
- Salmonella* spp., 646*t*
- Salmonella typhimurium*, 99–100, 267
- Sample collection, in virus analysis, 165–167
- Sand loam, 164*t*
- Sandwich ELISA, 253
- Sanitizer, 645
- Santa Cruz River, 625*f*
- SAR11, 129
- Sarcodina*, 25
- Saturated subsurface environments, 159–160
- Saturated zones, 61–62

- microorganisms in, 87
- Scanning electron microscopy (SEM), 188–189, 189*f*, 190*f*, 191*f*
- Scanning probe microscopy
 - atomic force microscopy, 191
- Scanning tunneling microscopy, 191
- Schistosoma*, 532
- Schistosoma mansoni*, 532–533
- Schmutzdecke, 457
- Seasonal temperature, effect on surface waters, 113
- Secondary attack rate, 574
- Secondary detection reagent, in fluorescence immunolabeling, 185
- Secondary metabolites, 21–22
- Secondary production, 122–124
 - microbial, 122–123
- Sedimentation, 634
- Sediments, soils and. *See* Soils and sediments
- Selective enrichment medium, 203
- Selective plating medium, 203
- Selenium bioremediation in San Joaquin Valley, California, 432*b*
- Self-sanitizing surfaces technique, 8*b*
- Semimetals, 416–417
- Sensitivity analyses, 572
- Septic tanks, 596–597
- Sequence analysis, 300–302
 - platforms for, 492–495
- Sequence Read Archive (SRA), 501
- Sequencing by synthesis, 296
- Serine/threonine kinases (STKs), 474
- Severe acute respiratory virus (SARS), 543–544
- Sewage, virus analysis in, 165–166
- Sewage lagoons, 594, 596*f*
- Sewage sludge, 608*b*
- Shallow aquifers, 61–62
- Shallow subsurface environments
 - microbial counts in, 85*b*
 - microorganisms in, 84–85
- Shannon index, 497–498
- Shewanella*, 11
- Shigella dysenteriae* Type 1, 31
- Shigella* spp., 646*t*
- Shotgun sequencing, 296
- Siderophores, 205
- Signaling, 461–462
 - bacterial muropeptides, 473–474
 - core concepts, 478–479
 - eavesdropping on the party line, 474–475
 - in Gram-positive bacteria, 468–471
 - gamma-butyrolactones, 468–469
 - peptide signaling, 470–471
 - quorum quenching and quorum sensing inhibition, 475–476
 - via quorum sensing in Gram-negative bacteria, 462–468
 - N*-acyl homoserine lactones (AHL), 462–465
 - in *Agrobacterium tumefaciens*, 467–468, 470*f*
 - interspecies cross-signaling, 466–467
 - sociobiology and concept of holobionts, 476–478
 - holobiont and hologenome hypotheses, 478
 - signaling between bacteria and fungi, 476–477
 - signaling between bacteria and human cells, 477–478
 - signaling between bacteria and plants, 477
 - universal signals Autoinducer-2 and Autoinducer-3, 471–473
 - Vibrio harveyi* bioluminescence, 472*b*
- Silent Spring*, 3–4
- Silt loam, 164*t*
- Simpson index, 497–498
- Single-stranded pieces of DNA (ssDNA), 272
- 16S rRNA sequencing, 186, 300–301, 485–486, 492
- SKC glass impingers, 170, 172*f*
- SKC impinge, 170
- S-Layer, 11*b*
- Slime layer. *See* Glycocalyx
- Slow sand filtration, 634
- Sludge processing, 601–605
 - stabilization technologies, 601–602
 - aerobic digestion, 601–602
 - anaerobic digestion, 602
 - to produce Class A biosolids, 603–605
 - Cambi thermal hydrolysis process, 604–605
 - composting, 603–604
 - lime and heat treatment, 604
- Sludge volume index (SVI), 589
- Smears, 183
- Sodium dodecyl sulfate (SDS), 162
- Sodium pyrophosphate, 185
- Soil, 7, 59–60
 - 2,4-D degrading bacteria in, isolation and enumeration of, 206–207
 - adhering to plant roots, 159
 - architecture, 59–60, 60*f*, 63–64
 - cation exchange capacity in, 68*b*
 - complexity of, 59
 - culture-based and -independent methods to characterizing bacterial community in, 80*b*
 - five forming factors, 60*b*
 - fluorescent pseudomonads isolation from, 205
 - horizons, 64–65, 67*f*
 - as microbial environment, 74–76
 - abiotic stresses, 74–76
 - biotic stresses, 74
 - microorganisms in, 76–82, 183–184
 - distribution, 82–83
 - moisture, 75
 - nitrifying organisms isolation from, 205–206
 - nitrous oxide emissions from, 677–679
 - nutrients, 75
 - organic matter in, 69–70, 70*f*
 - pH, 69, 75, 75*b*
 - profiles, 64–65
 - size fractionation of, 65*t*
 - structure, 63, 64*f*
 - sunlight and, 74–75
 - temperature, 75
 - texture, 75
- Soil aquifer treatment (SAT), 598, 626
- Soil atmosphere
 - constituents of, 73
 - oxygen and soil respiration availability of, 73–74
 - in subsurface, 74
- Soil colloids, 66
- Soil Diffusion System (SDS), 200
- Soil heterotrophic bacteria, 5*t*
- Soil rare biosphere, culturing members of, 201
- Soil solution chemistry, 70–71
- Soil water potential, 71–73
- Soils and sediments
 - microbial analysis of, 157–164
 - microbial communities in, 157
 - sample processing and storage, 161–164
 - for bacteria, 161–164
 - for fungal hyphae and spores, 164
 - for viruses, 164
 - sampling strategies and methods for subsurface, 159–161
 - for surface soils, 157–159
- Soluble metal, 419
- Somatic coliphages, 559–560
- Sørensen index, 498
- Sorption, 68
- Southern blotting, 276
- Spanish flu, 97, 97*t*
- Specialized isolation medium, 203
- Species richness, 498
- Speleothems, 149, 150*f*
- Spherical aberration, 178, 178*f*
- Spores, in soil or sediment, 164
- Spread plate method, 196
- Springs
 - freshwater environment, 131–132
- Stabilization ponds. *See* Oxidation ponds
- Stable isotope probing (SIP), 239–240
- Stachybotrys*, 23–24
- Stains, types of, 180
- Staphylococcal enterotoxin B (SEB), 267
- Staphylococcus*, 203
- Staphylococcus aureus*, 24, 560, 666
 - sensing, 473–474
 - signaling, 470, 471*f*
- Starch, 346–347
- Stationary phase
 - bacterial growth
 - in environment, 48–49
 - in pure culture in flask, 41
- Stenotrophomonas maltophilia*, 519
- Sterilization, 645
- Stimulated emission depletion (STED) fluorescence microscopy, 188
- Stokes' law, 90, 93
- Stratification, of aquatic environments, 111–113, 112*f*
- Streams, freshwater environment, 131–132
- Streptococcus pneumoniae*, 16*f*, 17–18, 143
- Streptomyces*, 77*t*, 78*t*
- Streptomyces griseus*, 6, 457–458
- Streptomyces* spp., 468–469
- Streptomycin, 686*b*
- Stringent plasmids, 15
- Stromatolite fossils, 340–341

- Stromatolites, 119
 Structural maintenance of chromosomes (SMC), 14–15
 Subclinical infection, 573
 Submicroscale transport, 92
 Substituted aromatics, 401–402
 Substitution, 395–396
 Substrate, 380
 -induced microbial activity, 226–227
 -induced respiration method, 227–228
 Substrate utilization, 214–217
 chemoautotrophic substrates, 217
 nitrification, 217
 sulfur oxidation, 217
 heterotrophic substrates, 214–217
 Subsurface, sampling strategies and methods for, 159–161
 Subsurface flow systems (SFS), 599–600
 Subterranean waters, 134
 Sulfate-reducing bacteria (SRB), 140–141, 368
 Sulfide-oxidizing bacteria, 143
 Sulfur cycle, 363–368, 365*f*
 assimilatory sulfate reduction, 364
 sulfur mineralization, 364–365
 sulfur oxidation, 366–367
 chemoautotrophic sulfur oxidation, 366–367
 photoautotrophic sulfur oxidation, 367
 sulfur reduction, 367–368
 sulfur reservoirs, 363–364
 Sulfur mineralization, 364–365
 Sulfur oxidation, 217
 Sulfur respiration, 367–368
Sulfurovum species, 147–148
 Sulfur-oxidizing bacteria, 140–141, 366*t*
 Sulfur-respiring Archaeal populations, 142–143
 Superfund, 379
 Superfund Amendments and Reauthorization Act (SARA), 378*b*, 379
 Superfund Site Inventory, 379–380
 Supervisory control and data acquisition system (SCADA), 640–641
 Surface impaction, 94
 Surface Mining Control and Reclamation Act (SMCRA), 378*b*
 Surface plasmon resonance (SPR)-based immunosensor, 264*f*, 266–267
 advantages and disadvantages, 267
 application, 267
 technique, 266–267
 Surface Treatment Rule (STR), 578
 Surface water, 111–113, 169
 Surfactants, 330–331
 Swab–rinse technique, 174
 Sweetwater wetlands infiltration, 602*b*
 Swine flu, 97*t*
 Symbiosis, 452
Synechococcus, 31, 127–129
 Synergism, 450–451
 Synthetic microbial cells technique, 8*b*
 Syntrophism, 451–452
 SYTO 9 stain, 184
- T**
Taenia saginata, 531, 533*f*
Talaromyces flavus, 260–261
 Tapwater, 169
Taq polymerase, 281–282
 TCID₅₀ method, 210
 T-DNA, 467–468
 TEAs. *See* Terminal electron acceptors (TEAs)
 Teichoic acids, 11*b*, 13–14
 Temperate phage, 28–29
 Temperature, in inactivation of microorganisms, 95
 Temperature gradient gel electrophoresis (TGGE), 293–294
 Terminal electron acceptors (TEAs), 18–19, 214, 217–219
 alternative, 218–219
 colorimetric assays, 218
 oxygen probes, 218
 Terminal restriction fragments (T-RF), 293
 Terminal-restriction fragment length polymorphism (TRFLP) analysis, 293, 312*t*, 314
 Terrestrial environments, 221–225
 field studies, 224–225
 microcosm studies, 221–224
 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD), 402–403
 Tetracycline, 686*b*
 Texture, soil, 63, 75
 Thaumarchaeota, 150–151
 Thermal death time (TDT), 645
 Thermal destruction, of microorganisms, 645–647
 Thermocline, 111–113
Thermodesulfobacterium mobile, 255–256
 Thermophiles, 20
 Thermophilic archaea, 20*b*
 Thermophilic microbes, 75
Thermus aquaticus, 142, 281–282
Thermus thermophilus, 143
Thiobacillus, 77*t*
Thiobacillus denitrificans, 77*t*
Thiobacillus ferrooxidans, 77*t*
Thiobacillus thiooxidans, 75
Thiobacillus thioparus, 140–141
 Three-component quorum sensing system, 470
 Thymidine incorporation into DNA, 233–234
 Thymidine incorporation rate, 234
 Ti plasmid, 467–468, 469*f*
 Titanium dioxide, 658–659
 Toilet flushing, 625
 Toilet-to-tap perception, 627–628
 Tolerable risk, 567–568
 Tolerance, 659
 Toluene, aerobic biodegradation of, 403*f*
 Total Maximum Daily Load (TMDL) program, 315
 Total metal, 419
 Total organic carbon (TOC), 585
 in desert soil, 144
 Toxic metals, 417–418, 417*f*
 Toxic Substances Control Act (TOSCA), 378*b*
 Toxicity, 384–385, 384*b*
Toxoplasma (Apicomplexa), 26, 651
Toxoplasma gondii, 528
Tra genes, 15, 17
 Tracer studies to determine heterotrophic potential, 230–232
Trametes versicolor, 24
 Transcription and translation, 273*b*
 Transcriptome, 276–277, 483
 Transcriptomics, 488–489
 Transducer, 263
 Transduction, 17
 generalized, 31
 specialized, 31
 Transect sampling, of soil, 158–159
 Transfer RNA (tRNA), 273
 Transformation, 17–18
 Transmissible spongiform encephalopathy (TSE) diseases, 33
 Transmission electron microscopy (TEM), 189–191, 190*f*, 191*f*
 metal detection, 428
 Treatment process train, 633–634, 634*f*
 Trematodes (*Schistosoma mansoni*), 532–533
 Trichloroethene, 351, 381–382, 394, 396–397
 Trichloroethylene, 216–217, 257
 2,4,5-Trichlorophenoxyacetic acid (2,4,5-T), 405*f*
Trichodesmium, 127–128
Trichuris trichiura, 530
 Trickling filters, 587–588
 Triclosan, 659–660, 659*f*
 Trimethoprim, 686*b*
 Triorganotin compounds, 418
 Turbidity, 219
 Turbulence, 92–93
 Tween 80, 185, 195
 Two-component regulatory system, 470, 471*b*
 Two-dimensional polyacrylamide gel electrophoresis (2D-PAGE), 489–490
 Two-stage sampling, of soil, 158–159
 Typhoid fever, 512
- U**
 Ultra performance liquid chromatography (UPLC), 214–216
 Ultra performance liquid chromatography-mass spectrometry (UPLC-MS), 216*f*
 Ultraclean Soil DNA Isolation Kit, 162–163, 163*f*
 Ultrafiltration, 166*t*
 Ultramicrobacteria (UMB), 320–321, 330
 Ultraviolet disinfection, 656–658
 Uncertainty analysis, 572
 Unculturable bacteria, 196–201
 culturing members of soil rare biosphere, 201
 new approaches for enhanced cultivation of soil bacteria, 197–201
 new techniques for culturing, 200*b*
 reasons for, 200*b*
 Underground storage tanks (USTs), 54
 Unifrac distance, 498–499
 Universal probes, 274–275
 Universal signals Autoinducer-2 and Autoinducer-3, 471–473

- University of Minnesota Biocatalysis/
Biodegradation Database, 390
- Unsubstituted aromatics, 399–401
aerobic conditions, 399–401
anaerobic conditions, 401
- Up-converting phosphor technology
(UPT), 263
- Uranium
bioremediation of, in contaminated aquifer,
436*b*
- Urban reuse, 625
- Urbanization, 682
- UV radiation, 143–146
- UV spectrophotometry, 214, 214*f*
- UVGI (ultraviolet germicidal radiation), 105
- V**
- Vadose zone, 60–61
layers, 327
microorganisms in, 86–87
- Valley fever, 79–80, 97
- Van der Waals forces, 322–323
- Ventilation, for controlling airborne pathogens,
104–105
- Vesicular–arbuscular mycorrhizae (VAM),
455–456
- Viable but nonculturable (VBNC) organisms,
47, 83–84, 184
- Vibrio*, 515–516
- Vibrio cholerae*, 515–516, 646*t*
- Vibrio fischeri*, 464
- Vibrio harveyi*, 114
bioluminescence, 472*b*
- Vibrio parahaemolyticus*, 516
- Vibrio vulnificus*, 516
- VirA* gene, 467–468
- VIRADEL filter methods, 166–167, 167*f*
- VirG protein, 467–468
- Viroids, 32
- Virus to bacteria ratios (VBR), 30
- Viruses, 27–32, 534–544, 631
cell culture-based detection methods for,
208–211
enteric viruses, 534–540
eukaryotic viruses, 31–32
forms and components of, 29*f*
infective nature of, 28–29
in marine habitat, 129–130
methods used for concentrating from water,
166*t*
multiplication steps, 29*f*
procedures for sampling and detection from
water, 168*f*
prokaryotic viruses, 30–31
environmental aspects, 30–31
structure and life cycle, 30
recovery and concentration from sewage
sludge, 165*f*
respiratory viruses, 540–544
sizes of, 66*f*
in sludge, soil and sediment, 164
in water, 165–168
- Visible light microscopy
bright-field microscopy, 179–181
dark-field microscopy, 181
differential interference contrast microscopy,
181, 182*f*
phase contrast microscopy, 181, 181*f*
polarization, 181–183, 182*f*, 183*f*
sample preparation, 183–184
- Vitrification, 190
- Voluntary risk, 566–567
- W**
- Waksman, Selman, 6
- Waste disposal, 100–101
- Wastewater, land application of, 597–599
- Water. *See also* Aquatic environments;
Drinking water
microbial analysis of, 164–165
processing samples for virus analysis,
165–168
sampling strategies and methods for,
164–165
- Water- and food-borne pathogenic organisms,
thermal death times of, 646*t*
- Water availability, in desert, 143–144
- Water distribution systems as living
ecosystems, case study, 668*b*
- Water quality, 26
and fecal contamination, 309
standards, 560–561
- “Water reclamation,” 623
- Water-based diseases, 511
- Waterborne diseases, 510–511, 511*t*
- Waterborne illness, 667
- Waterborne outbreak, 3
- Water-related diseases, 511
- Water-washed diseases, 511
- Western immunoblotting assays, 256–257
advantages and disadvantages, 257
application, 257
technique, 256–257
- Wetland treatment, 435
- Wetlands, 62, 134–135
- Wetlands systems, 599–601
- Wheat rust fungi, 98
- White-rot fungi, 24*b*
- Wind velocity, 92–93
- Winkler method, 218
- Winogradsky, Sergei, 46–47
- Woese, Carl, 9–10
- World Health Organization (WHO), 629
- X**
- Xanthophylls, 27
- X-ray absorption near-edge structure (XANES)
spectroscopy, 428
- X-ray absorption spectroscopy (XAS), 428
- X-ray fluorescence (XRF), 428
- X-ray photons, of characteristic energies, 191
- Xylose–lysine–deoxycholate agar, 204–205
- Y**
- Yeast artificial chromosomes (YACs),
295–296
- Yeasts, 22–23
- Yellowstone, thermophilic microorganisms
in, 142
- Yersinia*, 515
- “Yuck factor,” 626*b*, 627–628
- Z**
- Zooleal film, 457, 588
- Zoophagus insidians*, 132–133
- Zooplankton, 114